Table of Contents

| Section | on No. | | Description | Page No. |
|---------|--------|----------------------|--|----------|
| 1.0 | Introd | uction | | |
| | 1.1 | YCWA | A's Application for a New License | E1-1 |
| | 1.2 | Purpos | e of Action and Need for Power | E1-7 |
| | | 1.2.1 | Purpose of Actions | E1-7 |
| | | 1.2.2 | Need for Power | E1-8 |
| | 1.3 | Statuto | ory and Regulatory Requirements | E1-8 |
| | | 1.3.1 | Migratory Bird Treaty Act of 1918 | E1-10 |
| | | 1.3.2 | Federal Power Act of 1920 | E1-11 |
| | | | 1.3.2.1 Section 4(e) Conditions | E1-11 |
| | | | 1.3.2.2 Section 10(a) Recommendations | E1-11 |
| | | | 1.3.2.3 Section 10(j) Recommendations | E1-12 |
| | | | 1.3.2.4 Section 18 Fishway Prescriptions | E1-12 |
| | | 1.3.3 | Bald and Golden Eagle Protection Act of 1940 | E1-13 |
| | | 1.3.4 | California Fully Protected Species Statutes (1957) | E1-13 |
| | | 1.3.5 | National Historic Preservation Act of 1966 | E1-14 |
| | | 1.3.6 | Wild and Scenic Rivers Act of 1968 | E1-16 |
| | | 1.3.7 | National Environmental Policy Act of 1969 | E1-17 |
| | | 1.3.8 | Clean Water Act of 1970 | E1-18 |
| | | 1.3.9 | Clean Air Act of 1970 | E1-21 |
| | | 1.3.10 | California Environmental Quality Act of 1970 | E1-21 |
| | | 1.3.11 | Coastal Zone Management Act of 1972 | E1-22 |
| | | | California Wild and Scenic Rivers Act of 1972 | |
| | | 1.3.13 | Endangered Species Act of 1973 | E1-23 |
| | | 1.3.14 | Magnuson-Stevens Fishery Conservation and Management Act of 1976 | E1-25 |
| | | 1.3.15 | California Native Plant Protection Act of 1977 | E1-27 |
| | | 1.3.16 | Pacific Northwest Electric Power Planning and Conservation Act of 1980 | |
| | | 1.3.17 | Wilderness Act of 1984 | E1-28 |
| | | 1.3.18 | California Endangered Species Act of 1984 | E1-28 |
| | | 1.3.19 | Forest Service's Outdoor Recreation Accessibility Guidelines of 2006, and Architectural Barriers Act Accessibility Standards | F1-29 |
| | | 1 3 20 | Americans with Disabilities Act of 2010 | |
| | 1.4 | | Review and Comment | |
| | 1.7 | 1.4.1 | Scoping | |
| | | | Interventions | |
| | | - · · · - | | |

| Section No. | | | Description | Page No. | |
|-------------|-------|----------|-------------|---|-------|
| | 1.4.3 | | Cooperat | ing Agency Status | |
| | | 1.4.4 | Relicensi | ng Studies | E1-32 |
| | | | 1.4.4.1 | FERC's Determination on Revised Study Plan | E1-32 |
| | | | 1.4.4.2 | FERC's Determination Regarding Study | |
| | | | | Disputes | |
| | | | 1.4.4.3 | FERC's Determination on Initial Study Report | E1-37 |
| | | | 1.4.4.4 | FERC's Determination on Updated Study Report | E1-38 |
| | | | 1.4.4.5 | Requested Study Modifications or New Studies Outside of Initial and Updated Study Report | |
| | | | | Process | |
| | | | 1.4.4.6 | Study Status | |
| | | 1.4.5 | | ts on the Draft License Application | |
| | | 1.4.6 | | ts on the Final License Application | |
| | | 1.4.7 | | ts on the Draft Environmental Assessment | |
| 2.0 | Propo | sed Act | ion and Al | ternatives | E2-1 |
| 2.1 | No Ao | ction Al | ternative | | E2-1 |
| | 2.1.1 | | 0 0 | Facilities | |
| | | | | gate Development | |
| | | | | lards Bar Minimum Flow Development | |
| | | | | 2 Development | |
| | 2.1.2 | | | Boundary | |
| | 2.1.3 | | | Safety | |
| | 2.1.4 | | C v | Operations | |
| | 2.1.5 | | · · | nmental Measures | |
| | | 2.1.5. | 1 Measures | s in Current FERC License | E2-14 |
| | | 2.1.5.2 | | s in Other Licenses, Agreements and Contracts that | |
| | 2.2 | 110111 | | perations | |
| | 2.2 | | - | sal | |
| | | 2.2.1 | - | Project Facilities | |
| | | | 2.2.1.1 | Generation Facilities | |
| | | 2 2 2 | 2.2.1.2 | Non-Generation Facilities | |
| | | 2.2.2 | - | Project Boundary | |
| | | 2.2.3 | - | Project Operations | |
| | 2.2 | 2.2.4 | • | Environmental Measures | |
| | 2.3 | | | ternatives | |
| | 2.4 | | | nsidered But Eliminated From Further Analysis | |
| | | 2.4.1 | Retire the | e Project | E2-45 |

| Section No. | | Description | | | Page No. |
|-------------|-------|-------------|-------------|---|----------|
| | | 2.4.2 | Issue a N | on-Power License | |
| | | 2.4.3 | Federal A | Agency Takeover of the Project | E2-46 |
| 3.0 | Envir | onmenta | al Analysis | | E3-1 |
| | 3.1 | Gener | al Descript | tion of the River Basin | E3-3 |
| | | 3.1.1 | Existing ' | Water Projects in the Yuba River Basin | E3-3 |
| | | | 3.1.1.1 | Yuba River Development Project | E3-3 |
| | | | 3.1.1.2 | South Feather Power Project | E3-3 |
| | | | 3.1.1.3 | Deadwood Creek Project | E3-3 |
| | | | 3.1.1.4 | Yuba-Bear Hydroelectric Project | E3-3 |
| | | | 3.1.1.5 | Francis Dam | E3-4 |
| | | | 3.1.1.6 | Drum-Spaulding Project | E3-4 |
| | | | 3.1.1.7 | Englebright Dam | E3-4 |
| | | | 3.1.1.8 | Narrows Project | E3-5 |
| | | | 3.1.1.9 | Wildwood Dam | E3-5 |
| | | | 3.1.1.10 | Scotts Flat Project | E3-5 |
| | | | 3.1.1.11 | Los Verjeles Dam | E3-5 |
| | | | 3.1.1.12 | Virginia Ranch Dam Project | |
| | | | 3.1.1.13 | Hallwood-Cordua Diversion | |
| | | | 3.1.1.14 | South Yuba-Brophy Diversion | E3-6 |
| | | | 3.1.1.15 | Browns Valley Diversion | |
| | | | 3.1.1.16 | Daguerre Point Dam | E3-6 |
| | | 3.1.2 | The Rive | r Basin | E3-6 |
| | | | 3.1.2.1 | North Yuba River Sub-basin | E3-11 |
| | | | 3.1.2.2 | Middle Yuba River Sub-basin | E3-12 |
| | | | 3.1.2.3 | South Yuba River Sub-basin | E3-13 |
| | | | 3.1.2.4 | Yuba River Sub-basin | E3-14 |
| | | | 3.1.2.5 | Feather River, Sacramento River and Delta | |
| | | | 3.1.2.6 | Potentially-Affected Yuba River Stream Reaches | |
| | | | 3.1.2.7 | Yuba River Basin Streams and Tributaries | |
| | | | 3.1.2.7 | Yuba River Basin Dams | |
| | | 3.1.3 | | Tuba Kivei Basin Bains | |
| | | 3.1.4 | | nd Uses | |
| | | 3.1.5 | | ater Uses | |
| | 3.2 | | | ative Effects Analysis | |
| | ٧.٧ | 3.2.1 | | nic Scope for Analysis of Cumulatively Affected | 13-23 |
| | | J.4.1 | - 1 | 8 | E3-25 |
| | | | | | |

| Section No. | | | Description | Page No. |
|-------------|-------------------|---------|--|-----------|
| | 3.2.2 | | Scope for Analysis of Cumulatively Affe | |
| | | | | |
| | 3.2.3 | | ent and Reasonably Foreseeable Future Ac | |
| | | | d for Analysis of Cumulatively Affo | |
| | | 3.2.3.1 | Past and Present Actions | |
| | | 3.2.3.1 | Reasonably Foreseeable Future Actio | |
| 3.3 | Dropo | | and Action Alternatives | |
| 3.3 | 3.3.1 | | nd Soils | |
| | 3.3.1 | 3.3.1.1 | Affected Environment | |
| | | 3.3.1.2 | Environmental Effects | |
| | | 3.3.1.3 | Cumulative Effects | |
| | | 3.3.1.4 | Proposed Environmental Conditions | |
| | | 3.3.1.4 | Unavoidable Adverse Effects | |
| | 3.3.2 | | ources | |
| | 3.3.2 | 3.3.2.1 | Affected Environment | |
| | | 3.3.2.1 | Environmental Effects | |
| | | 3.3.2.3 | Cumulative Effects | |
| | | 3.3.2.4 | Proposed Environmental Conditions | |
| | | 3.3.2.5 | Unavoidable Adverse Effects | |
| | 3.3.3 | | esources | |
| | 3.3.3 | 3.3.3.1 | Affected Environment | |
| | | 3.3.3.2 | Environmental Effects | |
| | | 3.3.3.3 | Cumulative Effects | |
| | | 3.3.3.4 | Proposed Environmental Conditions | |
| | | 3.3.3.5 | Unavoidable Adverse Effects | |
| | 3.3.4 | | Resources | |
| | J.J. T | 3.3.4.1 | Affected Environment | |
| | | 3.3.4.2 | Environmental Effects | |
| | | 3.3.4.3 | Cumulative Effects | |
| | | 3.3.4.4 | Proposed Environmental Condition | |
| | | 3.3.4.5 | Unavoidable Adverse Effects | |
| | 3.3.5 | | d and Endangered Species | |
| | 3.3.3 | 3.3.5.1 | Identification of Potentially-Affected I | |
| | | J.J.J.1 | listed Species and Critical Habitat | |
| | | 3.3.5.2 | Consultation with USFWS, NMFS and C | |
| | | | Relicensing Participants | |
| | | 3.3.5.3 | Affected Environment | E3.3.5-10 |
| | | | | |

| Section No. | | | Description | Page No. |
|-------------|--------|------------|-----------------------------------|------------|
| | | 3.3.5.4 | Environmental Effects | E3.3.5-26 |
| | | 3.3.5.5 | Proposed Conditions | E3.3.5-30 |
| | | 3.3.5.6 | Unavoidable Adverse Effects | E3.3.5-30 |
| | 3.3.6 | Recreatio | n Resources | E3.3.6-1 |
| | | 3.3.6.1 | Affected Environment | E3.3.6-1 |
| | | 3.3.6.2 | Environmental Effects | E3.3.6-38 |
| | | 3.3.6.3 | Proposed Conditions | E3.3.6-46 |
| | | 3.3.6.4 | Unavoidable Adverse Impacts | E3.3.6-47 |
| | 3.3.7 | Land Use | | E3.3.7-1 |
| | | 3.3.7.1 | Affected Environment | E3.3.7-1 |
| | | 3.3.7.2 | Environmental Effects | E3.3.7-21 |
| | | 3.3.7.3 | Proposed Environmental Conditions | E3.3.7-23 |
| | | 3.3.7.4 | Unavoidable Adverse Effects | E3.3.7-23 |
| | 3.3.8 | Cultural F | Resources | E3.3.8-1 |
| | | 3.3.8.1 | Affected Environment | E3.3.8-1 |
| | | 3.3.8.2 | Environmental Effects | E3.3.8-20 |
| | | 3.3.8.3 | Proposed Environmental Conditions | E3.3.8-21 |
| | | 3.3.8.4 | Unavoidable Adverse Effects | E3.3.8-21 |
| | 3.3.9 | Aesthetic | Resources | E3.3.9-1 |
| | | 3.3.9.1 | Affected Environment | E3.3.9-1 |
| | | 3.3.9.2 | Environmental Effects | E3.3.9-3 |
| | | 3.3.9.3 | Proposed Conditions | E3.3.9-5 |
| | | 3.3.9.4 | Unavoidable Adverse Impacts | E3.3.9-5 |
| | 3.3.10 | Socioecon | nomics Resources | E3.3.10-1 |
| | | 3.3.10.1 | Affected Environment | E3.3.10-1 |
| | | 3.3.10.2 | Environmental Effects | E3.3.10-13 |
| | | 3.3.10.3 | Proposed Conditions | E3.3.10-13 |
| | | 3.3.10.4 | Unavoidable Adverse Impacts | E3.3.10-13 |
| | 3.3.11 | Air Quali | ty | E3.3.11-1 |
| | | 3.3.11.1 | Affected Environment | E3.3.11-1 |
| | | 3.3.11.2 | Environmental Effects | E3.3.11-4 |
| | | 3.3.11.3 | Proposed Environmental Conditions | E3.3.11-5 |
| | | 3.3.11.4 | Unavoidable Adverse Effects | E3.3.11-5 |
| | 3.3.12 | Noise | | E3.3.12-1 |
| | | 3.3.12.1 | Affected Environment | E3.3.12-1 |
| | | 3.3.12.2 | Environmental Effects | E3.3.12-3 |
| | | 3.3.12.3 | Proposed Environmental Conditions | E3.3.12-3 |
| | | | | |

Yuba County Water Agency Yuba River Development Project FERC Project No. 2246

| Section No. | | Description | Page No. | | | |
|-------------|--------|---|-----------|--|--|--|
| | | 3.3.12.4 Unavoidable Adverse Effects | E3.3.12-3 | | | |
| 4.0 | Devel | opmental Analysis | E4-1 | | | |
| | 4.1 | Alternatives Considered in This Section | E4-1 | | | |
| | 4.2 | Power and Developmental Benefits | E4-2 | | | |
| | 4.3 | Comparison of Alternatives | E4-3 | | | |
| | | 4.3.1 No Action Alternative | E4-4 | | | |
| | | 4.3.2 YCWA's Proposed Project Alternative | E4-4 | | | |
| 5.0 | Concl | Conclusions | | | | |
| | 5.1 | Comparison of Alternatives | E5-1 | | | |
| | 5.2 | Comprehensive Development and Recommended Alternative | E5-1 | | | |
| | 5.3 | Unavoidable Adverse Effects | E5-1 | | | |
| | 5.4 | Consistency with Comprehensive Plans | E5-1 | | | |
| 6.0 | Refere | ences | E6-1 | | | |
| 7.0 | Consu | ıltation Documentation | E7-1 | | | |

List of Figures

| Figure No. | Description | Page No. |
|------------|--|-----------|
| 1.1-1. | Yuba River watershed in relation to the Feather River and other | |
| | tributaries to the Sacramento River | E1-3 |
| 1.1-2. | Yuba County Water Agency's Yuba River Development Project | |
| | and Project Vicinity. | E1-5 |
| 2.1-1. | Our House Diversion Dam features | E2-2 |
| 2.1-2. | Log Cabin Diversion Dam features. | E2-3 |
| 2.1-3. | Longitudinal schematic of New Bullards Bar Dam on the North | |
| | Yuba River and New Colgate Power Tunnel and Powerhouse on | |
| | the Yuba River. | E2-5 |
| 2.1-4. | Longitudinal schematic of Narrows 2 Powerhouse Penstock and | |
| | Powerhouse | E2-8 |
| 2.1-5. | Flows through Narrows 1 Powerhouse, Narrows 2 Powerhouse and | |
| | Narrows 2 Powerhouse Full Bypass from WY 2008 through WY | |
| | 2011 | E2-13 |
| 2.1-6. | Yuba Accord North Yuba Water Year Type Index | E2-18 |
| 2.1-7. | YCWA's Member Unit service areas. | |
| 2.2-1. | Schematic flow diagram for YCWA's proposed New Colgate | |
| | Powerhouse TDS. | E2-25 |
| 2.2-2. | General arrangement for YCWA's proposed New Colgate | |
| | Powerhouse TDS. | E2-26 |
| 2.2-3. | Piping sections and details for YCWA's proposed New Colgate | |
| | Powerhouse TDS. | E2-27 |
| 2.2-4. | Conceptual level plan and profile for YCWA's proposed New | |
| | Bullards Bar Dam flood control outlet | E2-31 |
| 2.2-5. | Construction area for YCWA's proposed New Bullards Bar flood | |
| | control outlet | E2-35 |
| 3.1.2-1. | Streambed gradient of the Yuba River from the most upstream | |
| | Project facility on each tributary to the Yuba River confluence with | |
| | the Feather River | E3-7 |
| 3.1.2-2. | Yuba River sub-basins. | |
| 3.1.2-3. | General location of dams within the Yuba River watershed | E3-21 |
| 3.3.1-1. | Generalized geologic map of the Project Vicinity. Project Vicinity | |
| | was defined for the purposes of area computations as an area | |
| | roughly 3 miles beyond the existing FERC Project Boundary | E3.3.1-3 |
| 3.3.1-2. | Active and inactive mines in the Project Vicinity. Project Vicinity | |
| | was defined for the purposes of area computations as an area | |
| | roughly 3 miles beyond the existing FERC Project Boundary | |
| 3.3.1-3. | Soil associations within 3 miles of the Project Area | E3.3.1-12 |
| 3.3.1-4. | Study area and sites for YCWA's Study 1.1, Channel Morphology | |
| | Upstream of Englebright Reservoir | E3.3.1-25 |
| 3.3.2-1. | Schematic of the Project Vicinity, including USGS gage | |
| | identification numbers. | E3.3.2-5 |
| 3.3.2-2. | Water temperature profiles in New Bullards Bar Reservoir near the | |
| | dam in 2011 | E3.3.2-26 |

| Figure No. | Description | Page No. |
|------------------------|---|-----------|
| 3.3.2-3. | Water temperature profiles in Englebright Reservoir near the dam | _ |
| | in 2011 | E3.3.2-27 |
| 3.3.2-4. | Water temperature profiles in Englebright Reservoir 3.3 mi | |
| | upstream of the dam in 2011 | E3.3.2-28 |
| 3.3.2-5. | New Bullards Bar Reservoir DO concentration profiles at four | |
| | dates in 2011. | E3.3.2-30 |
| 3.3.2-6. | New Bullards Bar Reservoir water temperature profiles at four | |
| | dates in 2011. | E3.3.2-30 |
| 3.3.2-7. | Englebright Reservoir DO concentration profiles at four dates in | |
| | 2011 | |
| 3.3.2-8. | Englebright Reservoir temperature profiles at four dates in 2011 | E3.3.2-33 |
| 3.3.2-9. | Daily maximum water temperatures in the Middle Yuba River | |
| | downstream of Our House Diversion Dam (Site M01, loggers A – | |
| | D) | E3.3.2-43 |
| 3.3.2-10. | Daily maximum water temperatures in the Middle Yuba River | |
| | upstream of the confluence with Oregon Creek (Site M02, loggers | |
| | A – D) | E3.3.2-44 |
| 3.3.2-11. | Daily maximum water temperatures in the Middle Yuba River | |
| | downstream of the confluence with Oregon Creek (Site M03, | F2 2 2 44 |
| 2 2 2 12 | loggers A – D) | E3.3.2-44 |
| 3.3.2-12. | Daily maximum water temperatures in Oregon Creek near | F2 2 2 45 |
| 2 2 2 12 | Celestial Valley (Site M04, loggers A – D). | E3.3.2-45 |
| 3.3.2-13. | Simulated daily water temperatures for a representative wet WY | F2 2 2 40 |
| 22214 | (1998) at various locations along the Middle Yuba River | E3.3.2-49 |
| 3.3.2-14. | Simulated daily water temperatures for a representative dry WY | F2 2 2 40 |
| 2 2 2 15 | (2001) at various locations along the Middle Yuba River | E3.3.2-49 |
| 3.3.2-15. | Simulated daily water temperatures for a normal WY (2005) at | E2 2 2 50 |
| 22216 | various locations along the Middle Yuba River. | E3.3.2-30 |
| 3.3.2-16. | Simulated daily water temperatures for a representative wet WY | E2 2 2 51 |
| 2 2 2 17 | (1998) at various locations along Oregon Creek. | E3.3.2-31 |
| 3.3.2-17. | Simulated daily water temperatures for a representative dry WY (2001) at various locations along Oregon Creek | E2 2 2 51 |
| 3.3.2-18. | Simulated daily water temperatures for a representative normal | E3.5.2-31 |
| 3.3.2-16. | WY (2005) at various locations along Oregon Creek | E3 3 2 52 |
| 3.3.2-19. | Simulated daily water temperatures for a representative wet WY | E3.3.2-32 |
| 3.3.2-19. | (1998) at various locations along the North Yuba River | E3 3 2 53 |
| 3.3.2-20. | Simulated daily water temperatures for a representative dry WY | E3.3.2-33 |
| 3.3.2-20. | (2001) at various locations along the North Yuba River | F3 3 2-53 |
| 3.3.2-21. | Simulated daily water temperatures for a representative normal | £3.3.2-33 |
| 3.3.2-21. | WY (2005) at various locations along the North Yuba River | F3 3 2-5/ |
| 3.3.2-22. | North Yuba River downstream of New Bullards Bar Dam | |
| 3.3.2-22. 3.3.2-23. | Simulated daily water temperatures for a representative wet WY | 13.3.4-33 |
| 5.5.2 25. | (1998) at various locations along the Yuba River upstream of | |
| | Englebright Reservoir. | E3 3 2-56 |
| | | 25.5.2 50 |

| Figure No. | Description | Page No. |
|-------------------|---|--------------|
| 3.3.2-24. | Simulated daily water temperatures for a representative dry WY | 2 4.80 2 100 |
| 3.3.2 2 1. | (2001) at various locations along the Yuba River upstream of | |
| | Englebright Reservoir. | E3 3 2-56 |
| 3.3.2-25. | Simulated daily water temperatures for a representative normal | 23.3.2 30 |
| 2.0.12 20. | WY (2005) at various locations along the Yuba River upstream of | |
| | Englebright Reservoir. | E3 3 2-57 |
| 3.3.2-26. | Simulated daily water temperatures for a representative wet WY | 20.0.2 07 |
| <i>3.3.2 2 3.</i> | (1998) at various locations along the Yuba River downstream of | |
| | the Narrows 2 Powerhouse. | E3.3.2-58 |
| 3.3.2-27. | Simulated daily water temperatures for a representative dry WY | |
| 0.0.12 2 | (2001) at various locations along the Yuba River downstream of | |
| | the Narrows 2 Powerhouse. | E3.3.2-58 |
| 3.3.2-28. | Simulated daily water temperatures for a representative normal | 20.012 00 |
| 5.6.2 26. | WY (2005) at various locations along the Yuba River downstream | |
| | of the Narrows 2 Powerhouse. | E3.3.2-59 |
| 3.3.2-29. | Simulated daily New Bullards Bar Reservoir water surface | |
| | elevation for the No Action and YCWA's Proposed Project | |
| | (Existing) alternatives for representative wet (1998), dry (2001) | |
| | and normal (2005) WYs | E3.3.2-80 |
| 3.3.2-30. | Simulated bi-weekly New Bullards Bar Reservoir 10°C and 15°C | |
| | isotherm elevations for the No Action and YCWA's Proposed | |
| | Project (Existing) alternatives for a representative wet (1998) WY. | |
| | The elevation of the New Colgate Power Tunnel upper and lower | |
| | intakes is shown. | E3.3.2-81 |
| 3.3.2-31. | Simulated bi-weekly New Bullards Bar Reservoir 10°C and 15°C | |
| | isotherm elevations for the No Action and YCWA's Proposed | |
| | Project (Existing) alternatives for a representative dry (2001) WY. | |
| | The elevation of the New Colgate Power Tunnel upper and lower | |
| | intakes is shown. | E3.3.2-81 |
| 3.3.2-32. | Simulated bi-weekly New Bullards Bar Reservoir 10°C and 15°C | |
| | isotherm elevations for the No Action and YCWA's Proposed | |
| | Project (Existing) alternatives for a representative normal (2005) | |
| | WY. The elevation of the New Colgate Power Tunnel upper and | |
| | lower intakes is shown. | E3.3.2-82 |
| 3.3.2-33. | Simulated exceedance probability of end-of-September New | |
| | Bullards Bar Reservoir storage for the No Action and YCWA's | |
| | Proposed Project (Existing) alternatives for WYs 1970 through | |
| | 2010 | E3.3.2-83 |
| 3.3.2-34. | Simulated daily Englebright Reservoir water surface elevation for | |
| | the No Action and YCWA's Proposed Project (Existing) | |
| | alternatives for representative wet (1998), dry (2001) and normal | |
| | | |

| Figure No. | Description | Page No. |
|------------|---|------------|
| 3.3.2-35. | Simulated bi-weekly Englebright Reservoir 10°C and 15°C | |
| | isotherm elevations for the No Action and YCWA's Proposed | |
| | Project (Existing) alternatives for a representative wet (1998) WY. | |
| | The elevation of the Narrows 2 Power Tunnel intake is shown | E3.3.2-85 |
| 3.3.2-36. | Simulated bi-weekly Englebright Reservoir 10°C and 15°C | |
| | isotherm elevations for the No Action and YCWA's Proposed | |
| | Project (Existing) alternatives for a representative dry (2001) WY. | |
| | The elevation of the Narrows 2 Power Tunnel intake is shown | E3.3.2-85 |
| 3.3.2-37. | Simulated bi-weekly Englebright Reservoir 10°C and 15°C | |
| | isotherm elevations for the No Action and YCWA's Proposed | |
| | Project (Existing) alternatives for a representative normal (2005) | |
| | WY. The elevation of the Narrows 2 Power Tunnel intake is | |
| | shown | E3.3.2-86 |
| 3.3.2-38. | Simulated daily Narrows 2 Powerhouse release water temperatures | |
| | for representative wet (1998), dry (2001), and normal (2005) water | |
| | years | E3.3.2-87 |
| 3.3.2-39. | Exceedance curves of modeled annual irrigation deliveries to | |
| | YCWA Member Units for the No Action and YCWA's proposed | |
| | Project (Existing) alternatives for WYs 1970 through 2010 | E3.3.2-88 |
| 3.3.2-40. | Simulated daily water temperatures for a representative wet WY | |
| | (1998) at various locations along the Middle Yuba River | E3.3.2-93 |
| 3.3.2-41. | Simulated daily water temperatures for a representative dry WY | |
| | (2001) at various locations along the Middle Yuba River | E3.3.2-94 |
| 3.3.2-42. | Simulated daily water temperatures for a representative normal | |
| | WY (2005) at various locations along the Middle Yuba River | E3.3.2-94 |
| 3.3.2-43. | Simulated daily water temperatures for a representative wet WY | |
| | (1998) at various locations along Oregon Creek. | E3.3.2-95 |
| 3.3.2-44. | Simulated daily water temperatures for a representative dry WY | |
| | (2001) at various locations along Oregon Creek. | E3.3.2-96 |
| 3.3.2-45. | Simulated daily water temperatures for a representative normal | |
| | WY (2005) at various locations along Oregon Creek | E3.3.2-96 |
| 3.3.2-46. | Simulated daily water temperatures for a representative wet WY | |
| | (1998) at various locations along the North Yuba River | E3.3.2-97 |
| 3.3.2-47. | Simulated daily water temperatures for a representative dry WY | |
| | (2001) at various locations along the North Yuba River | E3.3.2-98 |
| 3.3.2-48. | Simulated daily water temperatures for a representative dry WY | |
| | (2005) at various locations along the North Yuba River | E3.3.2-98 |
| 3.3.2-49. | Simulated daily water temperatures for a representative wet WY | |
| | (1998) at various locations along the Yuba River upstream of | F2 2 2 6 6 |
| 2225 | Englebright Reservoir. | E3.3.2-99 |
| 3.3.2-50. | Simulated daily water temperatures for a representative dry WY | |
| | (2001) at various locations along the Yuba River upstream of | F2.2.2.100 |
| | Englebright Reservoir. | E3.3.2-100 |
| | | |

| Figure No. | Description | Page No. |
|------------|---|------------|
| 3.3.2-51. | Simulated daily water temperatures for a representative normal | |
| | WY (2005) at various locations along the Yuba River upstream of | |
| | Englebright Reservoir. | E3.3.2-100 |
| 3.3.2-52. | Simulated daily water temperatures for a representative wet WY | |
| | (1998) at various locations along the Yuba River downstream of | |
| | the Narrows 2 Powerhouse. | E3.3.2-101 |
| 3.3.2-53. | Simulated daily water temperatures for a representative dry WY | |
| | (2001) at various locations along the Yuba River downstream of | |
| | the Narrows 2 Powerhouse. | E3.3.2-102 |
| 3.3.2-54. | Simulated daily water temperatures for a representative normal | |
| | WY (2005) at various locations along the Yuba River downstream | |
| | of the Narrows 2 Powerhouse | E3.3.2-102 |
| 3.3.2-55. | Exceedance curves of modeled mean daily water temperatures in | |
| | the Middle Yuba River downstream of Our House Dam for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | F2 2 2 102 |
| 22256 | through 2010. | E3.3.2-103 |
| 3.3.2-56. | Exceedance curves of modeled mean daily water temperatures in | |
| | the Middle Yuba River upstream of Oregon Creek for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | F2 2 2 104 |
| 2 2 2 57 | through 2010. | E3.3.2-104 |
| 3.3.2-57. | Exceedance curves of modeled mean daily water temperatures in | |
| | the Middle Yuba River downstream of Oregon Creek for the No Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | E3.3.2-106 |
| 3.3.2-58. | Exceedance curves of modeled mean daily water temperatures in | E3.3.2-100 |
| 3.3.2-36. | the Middle Yuba River upstream of the North Yuba River for the | |
| | No Action Alternative and Proposed Project Alternative for WYs | |
| | 1970 through 2010. | F3 3 2-107 |
| 3.3.2-59. | Exceedance curves of modeled mean daily water temperatures in | L3.3.2 107 |
| 3.3.2 37. | Oregon Creek downstream of Log Cabin Diversion Dam for the | |
| | No Action Alternative and Proposed Project Alternative for WYs | |
| | 1970 through 2010. | E3.3.2-108 |
| 3.3.2-60. | Exceedance curves of modeled mean daily water temperatures in | 20.0.2 100 |
| | Oregon Creek upstream of the Middle Yuba River for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010 | E3.3.2-109 |
| 3.3.2-61. | Exceedance curves of modeled mean daily water temperatures in | |
| | the North Yuba River upstream of the Middle Yuba River for the | |
| | No Action Alternative and Proposed Project Alternative for WYs | |
| | 1970 through 2010. | E3.3.2-111 |
| 3.3.2-62. | Exceedance curves of modeled mean daily water temperatures in | |
| | the Yuba River downstream of the Middle Yuba River for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010 | E3.3.2-113 |

| Figure No. | Description | Page No. |
|------------|---|------------|
| 3.3.2-63. | Exceedance curves of modeled mean daily water temperatures in | 1 490 1101 |
| 3.3.2 03. | the Yuba River upstream of the New Colgate Powerhouse for the | |
| | No Action Alternative and Proposed Project Alternative for WYs | |
| | 1970 through 2010. | E3.3.2-113 |
| 3.3.2-64. | Exceedance curves of modeled mean daily water temperatures in | 25.5.2 115 |
| 2.2.2 0 | the Yuba River downstream of the New Colgate Powerhouse for | |
| | the No Action Alternative and Proposed Project Alternative for | |
| | WYs 1970 through 2010. | E3.3.2-115 |
| 3.3.2-65. | Exceedance curves of modeled mean daily water temperatures in | 201012 110 |
| | the Yuba River near Smartsville for the No Action Alternative and | |
| | Proposed Project Alternative for WYs 1970 through 2010 | E3.3.2-116 |
| 3.3.2-66. | Exceedance curves of modeled mean daily water temperatures in | 20.0.2 |
| 0.0.2 | the Yuba River downstream of Deer Creek for the No Action | |
| | Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | E3.3.2-117 |
| 3.3.2-67. | Exceedance curves of modeled mean daily water temperatures in | |
| | the Yuba River near Parks Bar for the No Action Alternative and | |
| | Proposed Project Alternative for WYs 1970 through 2010 | E3.3.2-118 |
| 3.3.2-68. | Exceedance curves of modeled mean daily water temperatures in | |
| | the Yuba River downstream of Dry Creek for the No Action | |
| | Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | E3.3.2-119 |
| 3.3.2-69. | Exceedance curves of modeled mean daily water temperatures in | |
| | the Yuba River downstream of Daguerre Point Dam for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | E3.3.2-121 |
| 3.3.2-70. | Exceedance curves of modeled mean daily water temperatures in | |
| | the Yuba River near Marysville for the No Action Alternative and | |
| | Proposed Project Alternative for WYs 1970 through 2010 | E3.3.2-122 |
| 3.3.2-71. | Exceedance curves of modeled mean daily water temperatures in | |
| | the Yuba River upstream of the Feather River for the No Action | |
| | Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010 | E3.3.2-123 |
| 3.3.2-72. | Simulated daily water temperatures for a representative wet WY | |
| | (1998) at various locations along the Yuba River downstream of | |
| | the Narrows 2 Powerhouse for the No Action Alternative | |
| | compared to the Future Proposed Project Alternative | E3.3.2-132 |
| 3.3.2-73. | Simulated daily water temperatures for a representative dry WY | |
| | (2001) at various locations along the Yuba River downstream of | |
| | the Narrows 2 Powerhouse for the No Action Alternative | |
| | compared to the Future Proposed Project Alternative | E3.3.2-132 |
| | | |

| Figure No. | Description | Page No. |
|------------|--|------------------------|
| 3.3.2-74. | Simulated daily water temperatures for a representative normal | |
| | WY (2005) at various locations along the Yuba River downstream | |
| | of the Narrows 2 Powerhouse for the No Action Alternative | |
| | compared to the Future Proposed Project Alternative | E3.3.2-133 |
| 3.3.3-1. | Size distribution and direction of migrating hardhead observed | |
| | using a VAKI Riverwatcher TM fish monitoring system at Daguerre | |
| | Point Dam fishways (RM 11.6) between January 2004 and | |
| | February 2012. | E3.3.3-8 |
| 3.3.3-2. | Temporal distribution and direction of migrating hardhead | |
| | observed using a VAKI Riverwatcher TM fish monitoring system at | |
| | Daguerre Point Dam fishways (RM 11.6) between January 2004 | |
| | and February 2012. | E3.3.3-8 |
| 3.3.3-3. | Study area reaches. Note: the "Feather River Reach" (Feather | |
| | River downstream of the Yuba River) eventually flows into the | F2 2 2 2 1 |
| 2224 | Sacramento River. | E3.3.3-21 |
| 3.3.3-4. | Non-anadromous species composition collected by RSTs in the | |
| | Yuba River downstream of Englebright Dam during the 2007-2008 | |
| | and 2008-2009 RMT surveys. (Asterisk indicates introduced | E2 2 2 42 |
| 2225 | species) | E3.3.3-42 |
| 3.3.3-5. | Simpson Lane Reach-specific species relative abundance observed | |
| | by electrofishing and snorkeling based on the combined study results of Beak (1989) and Kozlowski (2004) | E2 2 2 45 |
| 3.3.3-6. | Daguerre Point Dam Reach-specific species relative abundance | E3.3.3-43 |
| 3.3.3-0. | observed by electrofishing and snorkeling based on the combined | |
| | study results of Beak (1989) and Kozlowski (2004) | F3 3 3-46 |
| 3.3.3-7. | Garcia Gravel Pit Reach-specific species relative abundance | £3.3.3- 4 0 |
| 3.3.3-7. | observed by electrofishing and snorkeling based on the combined | |
| | study results of Beak (1989) and Kozlowski (2004) | E3 3 3-47 |
| 3.3.3-8. | Narrows Reach-specific species relative abundance observed by | 23.3.3 |
| 2.2.2 0. | electrofishing and snorkeling based on the combined study results | |
| | of Beak (1989) and Kozlowski (2004) | E3.3.3-48 |
| 3.3.3-9. | Temporal distribution of fish species observed during the RST | |
| | surveys 1999-2009. | E3.3.3-51 |
| 3.3.3-10. | Temporal distribution of primary species observed passing | |
| | Daguerre Point Dam RM 11.6) during the VAKI Riverwatcher TM | |
| | surveys from 2007 through 2010. | E3.3.3-52 |
| 3.3.3-11. | Map of the lower Feather River in the vicinity of the confluence | |
| | with the Yuba River. | E3.3.3-55 |
| 3.3.3-12. | Summary of detection and rate of diversion at Lohman Ridge | |
| | Diversion Tunnel. | E3.3.3-60 |
| 3.3.3-13. | Summary of detection and rate of diversion at Camptonville | |
| | Diversion Tunnel. | E3.3.3-61 |
| 3.3.3-14. | Looking upstream to the location of the study area in proximity to | |
| | the Narrows 2 Powerhouse. | E3.3.3-66 |
| | | |

| Figure No. | Description | Page No. |
|------------|--|------------|
| 3.3.3-15. | Location of Condemned Bar downstream of the New Colgate | |
| | Powerhouse. Hydraulic transects, bar habitat mapping, fish | |
| | stranding survey routes and fish stranding observations are shown | E3.3.3-71 |
| 3.3.3-16. | Location of French Bar downstream of New Colgate Powerhouse | |
| | Reach. Hydraulic transects, bar habitat mapping, fish stranding | |
| | survey routes and fish stranding observations are shown | E3.3.3-72 |
| 3.3.3-17. | Condemned Bar and French Bar stranding survey counts by event | |
| 3.3.3-18. | WUA for rainbow trout in the Our House Diversion Dam Reach of | |
| | the Middle Yuba River | E3.3.3-81 |
| 3.3.3-19. | WUA for Sacramento sucker in the Our House Diversion Dam | |
| | Reach of the Middle Yuba River. | E3.3.3-82 |
| 3.3.3-20. | WUA for rainbow trout in the Oregon Creek Reach of the Middle | |
| | Yuba River | E3.3.3-83 |
| 3.3.3-21. | WUA for Sacramento sucker in the Oregon Creek Reach of the | |
| | Middle Yuba River. | E3.3.3-84 |
| 3.3.3-22. | WUA for rainbow trout in the Log Cabin Diversion Dam sub-reach | |
| | of Oregon Creek. | E3.3.3-85 |
| 3.3.3-23. | WUA for Sacramento sucker in the Log Cabin Diversion Dam sub- | |
| | reach of Oregon Creek | E3.3.3-86 |
| 3.3.3-24. | WUA for rainbow trout in the Celestial Valley sub-reach of | |
| | Oregon Creek. | E3.3.3-87 |
| 3.3.3-25. | WUA for Sacramento sucker in the Celestial Valley sub-reach of | |
| | Oregon Creek. | E3.3.3-88 |
| 3.3.3-26. | WUA for rainbow trout in the New Bullards Bar Dam Reach of the | |
| | North Yuba River. | E3.3.3-89 |
| 3.3.3-27. | WUA for Sacramento sucker in the New Bullards Bar Dam Reach | |
| | of the North Yuba River. | E3.3.3-90 |
| 3.3.3-28. | WUA for hardhead and pikeminnow in the New Bullards Bar Dam | |
| | Reach of the North Yuba River. | E3.3.3-91 |
| 3.3.3-29. | WUA for rainbow trout in the Middle/North Yuba River Reach of | |
| | the Yuba River. | E3.3.3-92 |
| 3.3.3-30. | WUA for Sacramento sucker in the Middle/North Yuba River | |
| | Reach of the Yuba River. | E3.3.3-93 |
| 3.3.3-31. | WUA for hardhead and pikeminnow in the Middle/North Yuba | |
| | River Reach of the Yuba River. | E3.3.3-94 |
| 3.3.3-32. | WUA for rainbow trout in the New Colgate Powerhouse Reach of | |
| | the Yuba River. | E3.3.3-95 |
| 3.3.3-33. | WUA for Sacramento sucker in the New Colgate Powerhouse | |
| | Reach of the Yuba River. | E3.3.3-96 |
| 3.3.3-34. | WUA for hardhead and pikeminnow in the New Colgate | |
| | Powerhouse Reach of the Yuba River. | E3.3.3-97 |
| 3.3.3-35. | Map of hydrologic node locations for the habitat duration analysis | 20.0.0) / |
| <i></i> . | (HDA). | E3.3.3-103 |
| | //· ···························· | 20.0.100 |

| Figure No. | Description | Page No. |
|------------|---|------------|
| 3.3.3-36. | Habitat duration analysis results for the Our House Diversion Dam | |
| | Reach, Middle Yuba River for the No Action Alternative at Node | |
| | 0 | E3.3.3-105 |
| 3.3.3-37. | Habitat duration analysis results for the Our House Diversion Dam | |
| | Reach, Middle Yuba River for the No Action Alternative at Node | |
| | 1 | E3.3.3-106 |
| 3.3.3-38. | Habitat duration analysis results for the Oregon Creek Reach, | |
| | Middle Yuba River for the No Action Alternative at Node 2 | E3.3.3-107 |
| 3.3.3-39. | Habitat duration analysis results for the Log Cabin Diversion Dam | |
| | Reach, Oregon Creek for the No Action Alternative at Node 0 | E3.3.3-108 |
| 3.3.3-40. | Habitat duration analysis results for Log Cabin Diversion Dam | |
| | Reach, Oregon Creek for the No Action Alternative at Node 1 | E3.3.3-109 |
| 3.3.3-41. | Habitat duration results for the Log Cabin Diversion Dam Reach, | |
| | Oregon Creek for the No Action Alternative at Node 2 (Celestial | |
| | Valley) | E3.3.3-110 |
| 3.3.3-42. | Habitat duration results for Log Cabin Diversion Dam Reach, | |
| | Oregon Creek for the No Action Alternative at Node 3 | E3.3.3-111 |
| 3.3.3-43. | Habitat duration results for the New Bullards Bar Dam Reach, | |
| | North Yuba River for the No Action Alternative at Node 0 | E3.3.3-112 |
| 3.3.3-44. | Habitat duration results for the New Bullards Bar Dam Reach, | |
| | North Yuba River for the No Action Alternative at Node 1 | E3.3.3-113 |
| 3.3.3-45. | Habitat duration results for the Middle/North Yuba River Reach, | |
| | Yuba River for the No Action Alternative at Node 1 | E3.3.3-114 |
| 3.3.3-46 | Habitat duration results for the New Colgate Powerhouse Reach, | |
| | Yuba River for the No Action Alternative at Node 0 | E3.3.3-115 |
| 3.3.3-47. | Habitat duration results for the New Colgate Powerhouse Reach, | |
| | Yuba River for the No Action Alternative at Node 1 | E3.3.3-116 |
| 3.3.3-48. | Map of hydrologic zone boundaries used in Study 7.10 | E3.3.3-118 |
| 3.3.3-49. | Englebright Dam Hydrologic Zone Chinook salmon WUA results | |
| 3.3.3-50. | Englebright Dam Hydrologic Zone steelhead WUA results | |
| 3.3.3-51. | Englebright Dam Hydrologic Zone rainbow trout adult, and | |
| | lamprey guild WUA results. | E3.3.3-124 |
| 3.3.3-52. | Deer Creek Hydrologic Zone Chinook salmon WUA results | E3.3.3-125 |
| 3.3.3-53. | Deer Creek Hydrologic Zone steelhead WUA results | |
| 3.3.3-54. | Deer Creek Hydrologic Zone rainbow trout adult and lamprey | |
| | adult WUA results | E3.3.3-127 |
| 3.3.3-55. | Dry Creek Hydrologic Zone Chinook salmon WUA results | |
| 3.3.3-56. | Dry Creek Hydrologic Zone steelhead WUA results. | |
| 3.3.3-57. | Dry Creek Hydrologic Zone rainbow trout adult and lamprey adult | |
| | WUA results | E3.3.3-130 |
| 3.3.3-58. | Daguerre Point Dam Hydrologic Zone Chinook salmon WUA | |
| | results. | E3.3.3-131 |
| 3.3.3-59. | Daguerre Point Dam Hydrologic Zone steelhead WUA results | |

| Figure No. | Description | Page No. |
|------------|--|------------|
| 3.3.3-60. | Daguerre Point Dam Hydrologic Zone rainbow trout adult, | |
| | lamprey adult, and lamprey ammocoete WUA results | E3.3.3-133 |
| 3.3.3-61. | Relationship between flows at the Marysville Gage and North | |
| | American green sturgeon spawning WUA (in pool morphological | |
| | units) in the Yuba River downstream of Daguerre Point Dam | E3.3.3-137 |
| 3.3.3-62. | Relationship between flows at the Marysville Gage and green | |
| | sturgeon spawning WUA (in all morphological units) in the Yuba | |
| | River downstream of Daguerre Point Dam | E3.3.3-138 |
| 3.3.3-63. | Foothill yellow-legged frog survey site locations | E3.3.3-143 |
| 3.3.3-64. | Egg mass combined suitability output from the Middle Yuba 2D | |
| | model for three simulation flows | E3.3.3-151 |
| 3.3.3-65. | Tadpole combined suitability output from the Middle Yuba 2D | |
| | model for three simulation flows. | E3.3.3-152 |
| 3.3.3-66. | Egg mass combined suitability output from the Oregon Creek 2D | |
| | model for three simulation flows | E3.3.3-155 |
| 3.3.3-67. | Tadpole combined suitability output from the Oregon Creek 2D | |
| | model for three simulation flows. | E3.3.3-156 |
| 3.3.3-68. | WUA for FYLF egg mass and tadpole life stages in the Oregon | |
| | Creek and Middle Yuba River study sites. | E3.3.3-157 |
| 3.3.3-69. | Overview of scores by basin, stream, and indices. Sites with | |
| | starred symbols represent locations where insufficient organisms | |
| | were collected to make the resultant IBI and MMI scores reliable | E3.3.3-163 |
| 3.3.3-70. | Example HDA "Area Under the Curve" bar chart showing | |
| | YCWA's proposed Project minimum streamflow to the No Action | |
| | Alternative (i.e., Base Case) by month for rainbow trout adult for | |
| | the 41 period of record. | E3.3.3-178 |
| 3.3.3-71. | Example HDA "Area Under the Curve" bar chart showing the | |
| | Proposed Project and No Action Alternatives (i.e., Base Case) by | |
| | month for rainbow trout spawning for the 41 period of record | E3.3.3-179 |
| 3.3.3-72. | Example HDA "Area Under the Curve" bar chart showing the | |
| | Proposed Project and No Action Alternative (i.e., Base Case) by | |
| | species for August in all water years for the 41 period of record | E3.3.3-180 |
| 3.3.3-73. | AUC for all life stages and species at Node 0 on the Middle Yuba | |
| | River based on YCWA's proposed Project and the No Action | |
| | Alternative | E3.3.3-184 |
| 3.3.3-74. | AUC for all life stages and species at Node 1 on the Middle Yuba | |
| | River based on YCWA's proposed Project and the No Action | |
| | Alternative | E3.3.3-185 |
| 3.3.3-75. | AUC for all life stages and species at Node 0 on Oregon Creek | |
| | based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-192 |
| 3.3.3-76. | AUC for all life stages and species at Node 1 on Oregon Creek | |
| | based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-192 |
| | | |

| Figure No. | Description | Page No. |
|------------|--|------------|
| 3.3.3-77. | AUC for all life stages and species at Node 2 on Oregon Creek | |
| | based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-193 |
| 3.3.3-78. | AUC for all life stages and species at Node 3 on Oregon Creek | |
| | based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-193 |
| 3.3.3-79. | AUC for all life stages and species at Node 2 in the Oregon Creek | |
| | Reach based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-198 |
| 3.3.3-80. | AUC for all life stages and species at Node 0 in the NBB Dam | |
| | Reach based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-202 |
| 3.3.3-81. | AUC for all life stages and species at Node 1 in the NBB Dam | |
| | Reach based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-202 |
| 3.3.3-82. | AUC for all life stages and species at Node 1 in the NYR/MYR | |
| | Reach based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-205 |
| 3.3.3-83. | AUC for all life stages and species at Node 0 on the Yuba River | |
| | based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-208 |
| 3.3.3-84. | AUC for all life stages and species at Node 1 in the Yuba River | |
| | based on YCWA's Proposed Project and the No Action | |
| | Alternative | E3.3.3-209 |
| 3.3.3-85. | Modeled flows in the Middle Yuba River below Our House | |
| | Diversion Dam for YCWA's No Action Alternative and proposed | |
| | Project, which includes Condition AR2, Spill Cessation. | E3.3.3-212 |
| 3.3.6-2. | Functional use periods for the Cottage Creek and Dark Day boat | |
| | ramps by median WSE and WY type based on Water | |
| | Balance/Operations Model run results for WYs 1970 through WY | |
| | 2010 | E3.3.6-25 |
| 3.3.6-3. | Photograph of the slope instability site upslope from the Dark Day | |
| | boat ramp at low water levels (typically during the non-peak | |
| | season) | |
| 3.3.7-1. | Fire ignitions within the Project Vicinity | E3.3.7-18 |

Yuba County Water Agency Yuba River Development Project FERC Project No. 2246

List of Figures (continued) Description

Figure No. Description Page No.

Page Left Blank

List of Tables

| Table No. | Description | Page No. |
|----------------------|--|----------|
| 1.3-1. | Summary of statutory and regulatory requirements and status | E1-9 |
| 1.3-2. | Designated beneficial uses of surface water within the Project and | |
| | the area downstream by HU in the Basin Plan. | E1-19 |
| 1.4-1. | List of comment letters in chronological order filed with FERC on | |
| | FERC's Scoping Document 1 (SD1) and YCWA's Pre-Application | |
| | Document (PAD). | E1-30 |
| 1.4-2. | Studies proposed by YCWA in its Revised Study Plan and | |
| | subsequently modified, including new studies added by FERC | E1-33 |
| 1.4-3. | Comment letters filed with FERC regarding YCWA's Yuba River | |
| | Development Project's Initial Study Report and meeting summary | E1-37 |
| 1.4-4. | Status of studies as of filing of the License Application | E1-39 |
| 2.1-1. | Key information regarding Yuba River Development Project | |
| | powerhouses | E2-1 |
| 2.1-2. | Key information regarding Yuba River Development Project | |
| | reservoirs and impoundments. | E2-2 |
| 2.1-3. | Typical distribution of flow under normal operations (i.e., | |
| | excluding brief change-over periods) among Narrows 1 | |
| | Powerhouse, Narrows 2 Powerhouse, Narrows 2 Partial Bypass | |
| | and Narrows 2 Full Bypass. Normally, for Narrows 2 Powerhouse, | |
| | Partial Bypass and Full Bypass, only one operates at a time, | |
| | excluding brief change-over periods | E2-12 |
| 2.1-4. | New Bullards Bar Reservoir flood storage space allocation in | |
| | thousands of acre-feet. | E2-16 |
| 2.1-5. | Yuba Accord flow schedules. | |
| 2.1-6. | Water right licenses held by YCWA for operation of the Project | |
| | for power generation. | E2-19 |
| 2.1-7. | YCWA's annual contract amounts and place of delivery | |
| 2.1-8. | YCWA's water supply contract shortage provisions | |
| 2.2-1. | Summary of land ownership within the proposed Yuba River | |
| | Development Project FERC Project Boundary by Project | |
| | Development and difference as compared to existing FERC Project | |
| | Boundary | E2-43 |
| 2.2-2. | Measures included in YCWA's Proposed Yuba River | 2 |
| | Development Project | E2-43 |
| 3.1.2-1. | Stream reaches in the Yuba River Basin potentially affected by | 2 |
| 211.2 11 | continued Project operations. | E3-16 |
| 3.1.2-2. | Streams and tributaries to the North, Middle, South, and main stem | 20 10 |
| 3.1.2 2. | of the Yuba River. | E3-17 |
| 3.1.2-3. | Owners and capacities of dams and diversions in the Yuba River | 20 17 |
| J.1.2 J. | Basin. | F3-18 |
| 3.3.1-1. | Mines in the Yuba River Development Project Vicinity | |
| 3.3.1-2. | Soil series and order summary description in the Project Vicinity | |
| 3.3.1-2. 3.3.1-3. | Soil associations in the Project Vicinity | |
| 2.2.1 2. | Soil apportations in the Project Frening. | 22.1 10 |

| Table No. | Description | Page No. |
|-----------|---|-----------|
| 3.3.1-4. | Estimated volume of sediment removed from Our House Diversion | |
| | Dam impoundment from 1986 to the present. | E3.3.1-14 |
| 3.3.1-5. | Estimates of sediment yield at sediment supply nodes based on | |
| | regional estimate of yield and drainage area under the With-Project | |
| | and Without-Project conditions. | E3.3.1-16 |
| 3.3.1-6. | Summary of channel storage of coarse sediment in Middle Yuba | |
| | River and Oregon Creek downstream of Project diversion dams | E3.3.1-18 |
| 3.3.1-7. | Location of reaches where channel morphology study sites were | |
| | located, and transects selected for channel morphology evaluation | |
| | from among Study 3.10, Instream Flow Upstream of Englebright | |
| | Reservoir, transects. | E3.3.1-23 |
| 3.3.2-1. | Streamflow gages and Project tunnel, powerhouse and reservoir | |
| | gages | E3.3.2-4 |
| 3.3.2-2. | No Action Alternative flows and storage by month from YCWA's | |
| | With-Project Hydrology dataset. | E3.3.2-8 |
| 3.3.2-3. | North Yuba River sub-basin diversions by SFWPA's South | |
| | Feather Power Project - Slate Creek Diversion Dam diversions for | |
| | representative WY types. | E3.3.2-12 |
| 3.3.2-4. | Middle Yuba River sub-basin diversions by NID's Yuba-Bear | |
| | Hydroelectric Project – Milton Diversion Dam diversions for | |
| | representative WY types. | E3.3.2-13 |
| 3.3.2-5. | South Yuba River sub-basin diversions by NID's Yuba-Bear | |
| | Hydroelectric Project – Bowman-Spaulding Diversion Conduit | |
| | diversions for representative WY types | E3.3.2-13 |
| 3.3.2-6. | South Yuba River sub-basin diversions by PG&E's Drum- | |
| | Spaulding Project – Spaulding Dam diversions for representative | |
| | WY types. | E3.3.2-13 |
| 3.3.2-7. | Water quality objectives to support beneficial uses in the vicinity | |
| | of the Project as designated by the CVRWQCB and listed in the | |
| | Basin Plan. | E3.3.2-15 |
| 3.3.2-8. | Water quality standards, criteria and benchmark values used for | |
| | evaluating the protection of designated beneficial uses in the | |
| | vicinity of the Yuba River Development Project. ¹ | E3.3.2-16 |
| 3.3.2-9. | Temperature and DO concentrations found in YCWA's routine | |
| | reservoir profile locations by reservoir. | E3.3.2-26 |
| 3.3.2-10. | Monthly minimum, average and maximum DO concentrations in | |
| | New Bullards Bar Reservoir near the dam from November 2010 | |
| | through August 2012 | E3.3.2-28 |
| 3.3.2-11. | Monthly minimum, average and maximum DO concentrations in | |
| | Englebright Reservoir near the dam from November 2010 through | |
| | August 2012 | E3.3.2-31 |
| 3.3.2-12. | Monthly minimum, average and maximum DO concentrations in | |
| | Englebright Reservoir 3.3 mi upstream of the dam from April 2011 | |
| | through August 2012 | E3.3.2-31 |
| | | |

| Table No. | Description | Page No. |
|------------------------|--|-------------------|
| 3.3.2-13. | | 1 age 110. |
| 3.3.2-13. | Continuous stream water temperature monitoring location information. | E2 2 2 22 |
| 3.3.2-14. | WYs 2009 through 2012 minimum and maximum daily average | E3.3.2-33 |
| 3.3.2-14. | stream temperatures (°C) by month. Shaded cells indicate values | |
| | over 20°C. An * indicates a site above the Project (i.e., not | |
| | affected by the Project) | E2 2 2 27 |
| 3.3.2-15. | Margin water temperature station information. | |
| 3.3.2-13. 3.3.2-16. | | E3.3.2-42 |
| 3.3.2-10. | Range of mercury concentrations in fish tissue by location and | E2 2 2 61 |
| 2 2 2 17 | yCWA's proposed Project flows and storage from YCWA's | E3.3.2-01 |
| 3.3.2-17. | YCWA's proposed Project flows and storage from YCWA's | E2 2 2 65 |
| 2 2 2 10 | Proposed Project (Existing) Hydrology dataset. | E3.3.2-03 |
| 3.3.2-18. | Comparison between the Existing FERC License, Smartsville | |
| | Index and North Yuba Index for WYs 1970 through 2010 for the | F2 2 2 70 |
| 2 2 2 10 | Proposed Project and No Action Alternative | E3.3.2-70 |
| 3.3.2-19. | Changes in Project flows and storage from No Action Alternative | F2 2 2 72 |
| 2 2 2 20 | to YCWA's Proposed Project (Existing) Alterative | E3.3.2-72 |
| 3.3.2-20. | Proposed recreation-related rehabilitation and enhancements with | F2.2.2 .00 |
| 2 2 2 21 | the potential to effect water quality. | E3.3.2-89 |
| 3.3.2-21. | Average usable storage in New Bullards Bar Reservoir at the 10°C | |
| | and 15°C isotherms for the modeled period of record (WYs 1970 | |
| | through 2010) based on Operations Model and HEC-5Q | 70000 |
| | temperature model results. | E3.3.2-91 |
| 3.3.2-22. | Comparison of simulated mean monthly water temperatures in the | |
| | Middle Yuba River downstream of Our House Dam for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010 | E3.3.2-104 |
| 3.3.2-23. | Comparison of simulated mean monthly water temperatures in the | |
| | Middle Yuba River upstream of Oregon Creek for the No Action | |
| | Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010 | E3.3.2-104 |
| 3.3.2-24. | Comparison of simulated mean monthly water temperatures in the | |
| | Middle Yuba River downstream of Oregon Creek for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010 | E3.3.2-106 |
| 3.3.2-25. | Comparison of simulated mean monthly water temperatures in the | |
| | Middle Yuba River upstream of the North Yuba River for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010 | E3.3.2-107 |
| 3.3.2-26. | Comparison of simulated mean monthly water temperatures in | |
| | Oregon Creek downstream of Log Cabin Diversion Dam for the | |
| | No Action Alternative and Proposed Project Alternative for WYs | |
| | 1970 through 2010 | E3.3.2-108 |

| Table No. | Description | Page No. |
|-----------|--|------------|
| 3.3.2-27. | Comparison of simulated mean monthly water temperatures in | |
| | Oregon Creek upstream of the Middle Yuba River for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | E3.3.2-109 |
| 3.3.2-28. | Comparison of simulated mean monthly water temperatures in the | |
| | North Yuba River upstream of the Middle Yuba River for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | E3.3.2-111 |
| 3.3.2-29. | Comparison of simulated mean monthly water temperatures in the | |
| | Yuba River downstream of the Middle Yuba River for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | E3.3.2-113 |
| 3.3.2-30. | Comparison of simulated mean monthly water temperatures in the | |
| | Yuba River upstream of the New Colgate Powerhouse for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | F2 2 2 114 |
| 2 2 2 21 | through 2010. | E3.3.2-114 |
| 3.3.2-31. | Comparison of simulated mean monthly water temperatures in the | |
| | Yuba River downstream of the New Colgate Powerhouse for the | |
| | No Action Alternative and Proposed Project Alternative for WYs | F2 2 2 115 |
| 2 2 2 22 | 1970 through 2010. | E3.3.2-115 |
| 3.3.2-32. | Comparison of simulated mean monthly water temperatures in the | |
| | Yuba River near Smartsville for the No Action Alternative and | E2 2 2 117 |
| 2 2 2 22 | Proposed Project Alternative for WYs 1970 through 2010 | E3.3.2-11/ |
| 3.3.2-33. | Comparison of simulated mean monthly water temperatures in the Yuba River downstream of Deer Creek for the No Action | |
| | | |
| | Alternative and Proposed Project Alternative for WYs 1970 | E2 2 2 110 |
| 3.3.2-34. | through 2010 | E3.3.2-118 |
| 3.3.2-34. | Yuba River near Parks Bar for the No Action Alternative and | |
| | | E2 2 2 119 |
| 3.3.2-35. | Proposed Project Alternative for WYs 1970 through 2010 | E3.3.2-116 |
| 3.3.2-33. | Yuba River downstream of Dry Creek for the No Action | |
| | Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | F3 3 2 110 |
| 3.3.2-36. | Comparison of simulated mean monthly water temperatures in the | £3.3.2-119 |
| 3.3.2-30. | Yuba River downstream of Daguerre Point Dam for the No Action | |
| | Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | E3.3.2-121 |
| 3.3.2-37. | Comparison of simulated mean monthly water temperatures in the | 2.3.2-121 |
| 3.3.4-31. | Yuba River near Marysville for the No Action Alternative and | |
| | Proposed Project Alternative for WYs 1970 through 2010 | F3 3 2-122 |
| | 1 Toposed 1 Toject Atternative for W 18 17/0 tillough 2010 | 2.3.2-144 |

| Table No. | Description | Page No. |
|------------------------|--|------------|
| 3.3.2-38. | Comparison of simulated mean monthly water temperatures in the | |
| | Yuba River upstream of the Feather River for the No Action | |
| | Alternative and Proposed Project Alternative for WYs 1970 | |
| 2 2 2 1 | through 2010. | E3.3.2-123 |
| 3.3.3-1. | List of fish species that have been reported to occur in the Yuba | |
| | River watershed within the Project Area. | E3.3.3-3 |
| 3.3.3-2. | Life stage-specific periodicities for fall-run Chinook salmon in the | |
| | lower Yuba River (shaded boxes indicate temporal utilization of | F2 2 2 0 |
| 2222 | the lower Yuba River) | E3.3.3-9 |
| 3.3.3-3. | Summary of pink salmon observed migrating past Daguerre Point | |
| | Dam (RM 13.6) in the lower Yuba River during the VAKI | F2 2 2 12 |
| 2224 | RiverwatcherTM monitoring study from 2004 through 2012 | E3.3.3-12 |
| 3.3.3-4. | Known stocked fish species in New Bullards Bar Reservoir from | F2 2 2 1 6 |
| 2225 | 1969 through 2011 | E3.3.3-16 |
| 3.3.3-5. | Summary of relative abundance, length, and weight of all fish | |
| | species collected at New Bullards Bar Reservoir in January and | F2 2 2 17 |
| 2226 | June 2012 in order of abundance. | E3.3.3-1/ |
| 3.3.3-6. | Known stocked fish species in Englebright Reservoir from 1965 | E2 2 2 10 |
| 2227 | through 2012. | E3.3.3-18 |
| 3.3.3-7. | Summary of relative abundance, length, and weight of all fish | |
| | species collected at Englebright Reservoir in June 2012 in order of abundance. | E2 2 2 10 |
| 3.3.3-8. | Overview of fish species present from YCWA's Study 3.8 | E3.3.3-19 |
| 3.3.3-6. | conducted in 2012 and 2013, as well as documented species | |
| | presence from historical reports | E2 2 2 22 |
| 3.3.3-9. | Summary of 2012 and 2013 fish population information collected | E3.3.3-23 |
| 3.3.3-9. | by quantitative electrofishing for the Middle Yuba River upstream | |
| | of Our House Diversion Dam (RM 13.3). | E3 3 3 24 |
| 3.3.3-10. | Summary of 2012 and 2013 fish population information collected | £3.3.3-24 |
| 3.3.3-10. | by quantitative electrofishing for the Oregon Creek upstream of | |
| | Log Cabin Diversion Dam Site (RM 4.5) | E3 3 3 26 |
| 3.3.3-11. | Summary of 2012 and 2013 fish population information from | £3.3.3-20 |
| 3.3.3-11. | quantitative snorkeling observations for the Middle Yuba River | |
| | Downstream of Our House Diversion Dam Site (RM 12.5) | F3 3 3_28 |
| 3.3.3-12. | Summary of 2012 and 2013 fish population information collected | £3.3.3-20 |
| 3.3.3-12. | by quantitative electrofishing for the Middle Yuba River site at | |
| | RM 5.0. | F3 3 3_20 |
| 3.3.3-13. | Summary results of 2012 and 2013 fish population information | 123.3.3-27 |
| 3.3.3-13. | collected by quantitative electrofishing for the Oregon Creek | |
| | downstream of Log Cabin Diversion Dam Site (RM 0.3) | F3 3 3-30 |
| 3.3.3-14. | Summary of 2012 and 2013 fish population information from | 23.3.3-30 |
| J.J.J-1 4 . | quantitative snorkeling observations for the Middle Yuba River | |
| | Downstream of Moonshine Creek Site (RM 3.3) | F3 3 3-31 |
| | Downstrain of Moonstille Clerk Site (MM 3.3) | 1 ∪1 |

| Table No. | Description | Page No. |
|-----------|---|-----------|
| 3.3.3-15. | Summary of 2012 and 2013 fish population information from | |
| | quantitative snorkeling observations for the Middle Yuba River | |
| | Downstream of Yellowjacket Creek Site (RM 1.0) | E3.3.3-32 |
| 3.3.3-16. | Summary of 2012 and 2013 fish population information collected | |
| | by quantitative electrofishing for the Middle Yuba River | |
| | Downstream of Yellowjacket Creek Site (RM 1.0) | E3.3.3-32 |
| 3.3.3-17. | Summary of 2012 and 2013 fish population information from | |
| | quantitative snorkeling observations for the North Yuba River | |
| | Upstream of Middle Yuba River Site (RM 0.2). | E3.3.3-34 |
| 3.3.3-18. | Summary of 2012 and 2013 fish population information from | |
| | quantitative snorkeling observations for the Yuba River | |
| | Downstream of Middle Yuba River Site (RM 39.6) | E3.3.3-35 |
| 3.3.3-19. | Summary of 2012 and 2013 fish population information from | |
| | quantitative snorkeling observations for the Yuba River Upstream | |
| | of New Colgate Powerhouse Site (RM 35.0) | E3.3.3-35 |
| 3.3.3-20. | Summary of 2012 and 2013 fish population information from | |
| | quantitative snorkeling observations for the Yuba River | |
| | Downstream of New Colgate Powerhouse Site (RM 33.7) ¹ | E3.3.3-36 |
| 3.3.3-21. | Fish species distribution in the Yuba River downstream of | |
| | Englebright Dam. | E3.3.3-38 |
| 3.3.3-22. | Native fish species and associated assemblages of the Yuba River | |
| | watershed downstream of Englebright Dam | E3.3.3-40 |
| 3.3.3-23. | Fish species composition related to fish assemblages in the Yuba | |
| | River downstream of Englebright Dam. | E3.3.3-43 |
| 3.3.3-24. | Relative abundance in descending order for fish collected from | |
| | 1999 through 2009 by RST surveys in the Yuba River near | |
| | Hallwood Boulevard (RM 7.2). | E3.3.3-49 |
| 3.3.3-25. | Relative abundance in descending order for fish observed by | |
| | VAKI RiverwatcherTM passing through the fishways at Daguerre | |
| | Point Dam on the Yuba River (RM 11.6) from 2008 through 2010 | E3.3.3-50 |
| 3.3.3-26. | Effort, number tagged, and total catch by 0.1 mi interval zone on | |
| | the Middle Yuba River, upstream of Our House Diversion Dam | E3.3.3-57 |
| 3.3.3-27. | Effort, number of tagged fish (rainbow trout), and total fish catch | |
| | by zone on Oregon Creek. | E3.3.3-58 |
| 3.3.3-28. | Date, duration, and discharge when antennas at Lohman Ridge | |
| | Diversion Tunnel and Camptonville Diversion Tunnel were out of | |
| | service. | E3.3.3-59 |
| 3.3.3-29. | Detections, number of fish, and origin of fish detected at Lohman | |
| | Ridge and Camptonville diversion tunnels | E3.3.3-59 |
| 3.3.3-30. | Summary of fish that generated multiple detections with no more | |
| | than a 24 hour period between detections | E3.3.3-61 |
| 3.3.3-31. | Summary of fish that moved up the Lohman Ridge Tunnel | |
| 2.0.0 01. | | |

| Table No. | Description | Page No. |
|-----------|---|--------------|
| 3.3.3-32. | Estimated entrainment of rainbow trout into the Lohman Ridge and | |
| | Camptonville diversion tunnels based on 2012/2013 Entrainment | |
| | | E3.3.3-63 |
| 3.3.3-33. | Summary of catch by gillnet depth at Site 1 near New Bullards Bar | |
| | Dam in January and June 2012. | E3.3.3-64 |
| 3.3.3-34. | Summary of catch by gillnet depth at Site 1 near Englebright Dam | |
| | from June 22-24, 2012 | E3.3.3-65 |
| 3.3.3-35. | Summary of planned and actual operational events from July | |
| | through November 2013. | E3.3.3-68 |
| 3.3.3-36. | WUA table for rainbow trout in the Our House Diversion Dam | |
| | Reach | E3.3.3-81 |
| 3.3.3-37. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the Our | |
| | House Diversion Dam Reach | E3.3.3-81 |
| 3.3.3-38. | WUA table for Sacramento sucker in the Our House Diversion | |
| | Dam Reach | E3.3.3-82 |
| 3.3.3-39. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the Our | |
| | House Diversion Dam Reach | E3.3.3-82 |
| 3.3.3-40. | WUA table for rainbow trout in the Oregon Creek Reach of the | |
| | Middle Yuba River. | E3.3.3-83 |
| 3.3.3-41. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the Oregon | 70.00 |
| | Creek Reach of the Middle Yuba River | E3.3.3-83 |
| 3.3.3-42. | WUA table for Sacramento sucker in the Oregon Creek Reach of | 70.00 |
| 2 2 2 42 | | E3.3.3-84 |
| 3.3.3-43. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the Oregon | F2 2 2 2 4 |
| 2 2 2 4 4 | Creek Reach of the Middle Yuba River | E3.3.3-84 |
| 3.3.3-44. | WUA table for rainbow trout in the Log Cabin Diversion Dam | F2 2 2 0 5 |
| 22245 | sub-reach of Oregon Creek. | E3.3.3-85 |
| 3.3.3-45. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the Log | F2.2.2.2.5 |
| 22245 | Cabin Diversion Dam sub-reach of Oregon Creek. | E3.3.3-85 |
| 3.3.3-46. | WUA table for Sacramento sucker in the Log Cabin Diversion | F2.2.2.2.5 |
| | Dam sub-reach of Oregon Creek. | E3.3.3-86 |

| Table No. | Description | Page No. |
|-----------|--|------------------------|
| 3.3.3-47. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the Log | |
| | Cabin Diversion Dam sub-reach of Oregon Creek | E3.3.3-86 |
| 3.3.3-48. | WUA table for Rainbow trout in the Celestial Valley sub-reach of | |
| | Oregon Creek | E3.3.3-87 |
| 3.3.3-49. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the Celestial | |
| | Valley sub-reach of Oregon Creek. | E3.3.3-87 |
| 3.3.3-50. | WUA table for Sacramento sucker in the Celestial Valley sub- | |
| | reach of Oregon Creek. | E3.3.3-88 |
| 3.3.3-51. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the Celestial | F2.2.2 .00 |
| 2 2 2 52 | Valley sub-reach of Oregon Creek. | |
| 3.3.3-52. | WUA table for rainbow trout in the New Bullards Bar Dam Reach | E3.3.3-89 |
| 3.3.3-53. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the New | E2 2 2 00 |
| 22251 | Bullards Bar Dam Reach. | E3.3.3-89 |
| 3.3.3-54. | WUA table for Sacramento sucker in the New Bullards Bar Dam | E2 2 2 00 |
| 3.3.3-55. | Reach | E3.3.3-90 |
| 3.3.3-33. | Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the New | |
| | Bullards Bar Dam Reach. | E2 2 2 00 |
| 3.3.3-56. | WUA table for hardhead/pikeminnow in the New Bullards Bar | E3.3.3-90 |
| 3.3.3-30. | Dam Reach | F3 3 3 01 |
| 3.3.3-57. | Values with conditional formatting from 80 to 100 percent of the | £3.3.3-91 |
| 3.3.3-37. | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the New | |
| | Bullards Bar Dam Reach. | F3 3 3 ₋ 01 |
| 3.3.3-58. | WUA table for rainbow trout in the Middle/North Yuba River | 13.3.3-71 |
| 3.3.3-36. | Reach | F3 3 3 ₋ 02 |
| 3.3.3-59. | Values with conditional formatting from 80 to 100 percent of the | 13.3.3-72 |
| 3.3.3-39. | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the | |
| | Middle/North Yuba River Reach | E3 3 3-92 |
| 3.3.3-60. | WUA table for Sacramento sucker in the Upstream of New | 25.3.3 72 |
| 2.2.2 00. | Colgate Powerhouse Reach | E3.3.3-93 |
| | Colgate I offermouse reach | 23.3.3 73 |

| | List of Tables (continued) | |
|-------------------|---|---|
| Table No. | Description | Page No. |
| 3.3.3-61. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the | |
| | Upstream of New Colgate Powerhouse Reach | E3.3.3-93 |
| 3.3.3-62. | WUA table for hardhead and pikeminnow in the Middle/North | |
| | Yuba River Reach. | E3.3.3-94 |
| 3.3.3-63. | Values with conditional formatting from 80 to 100 percent of the | 201010 > . |
| 3.3.3 03. | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the | |
| | Middle/North Yuba River Reach | F3 3 3-94 |
| 3.3.3-64. | WUA table for rainbow trout in the New Colgate Powerhouse | LJ.J.J-/ - |
| 3.3.3-04. | Reach | E2 2 2 05 |
| 3.3.3-65. | Values with conditional formatting from 80 to 100 percent of the | E3.3.3-93 |
| 3.3.3-03. | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | 1 0 0 | |
| | in yellow, and the upper peak highlighted in green for the New | E2 2 2 05 |
| 22266 | Colgate Powerhouse Reach | E3.3.3-95 |
| 3.3.3-66. | WUA table for Sacramento sucker in the New Colgate Powerhouse | F2.2.2.0.6 |
| 2 2 2 4 | Reach | E3.3.3-96 |
| 3.3.3-67. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the New | |
| | \mathcal{C} | E3.3.3-96 |
| 3.3.3-68. | WUA table for hardhead and pikeminnow in the New Colgate | |
| | Powerhouse Reach. | E3.3.3-97 |
| 3.3.3-69. | Values with conditional formatting from 80 to 100 percent of the | |
| | maximum WUA. Bimodal curves have the lower peak highlighted | |
| | in yellow, and the upper peak highlighted in green for the New | |
| | Colgate Powerhouse Reach | E3.3.3-97 |
| 3.3.3-70. | Summary table of discharge at maximum WUA for rainbow trout | |
| | spawning, juvenile and adult life stages. | E3.3.3-99 |
| 3.3.3-71. | Summary table of discharge at maximum WUA for Sacramento | |
| | sucker juvenile and adult life stages. | E3.3.3-100 |
| 3.3.3-72. | Summary table of discharge at maximum WUA for | |
| | hardhead/pikeminnow juvenile and adult life stages | E3.3.3-100 |
| 3.3.3-73. | Habitat duration analysis results for the Our House Diversion Dam | |
| | Reach, Middle Yuba River for the No Action Alternative at Node | |
| | 0 | E3.3.3-105 |
| 3.3.3-74. | Habitat duration analysis results for the Our House Diversion Dam | |
| | Reach, Middle Yuba River for the No Action Alternative at Node | |
| | 1 | E3 3 3-106 |
| 3.3.3-75. | Habitat duration analysis results for the Oregon Creek Reach, | 25.5.5 100 |
| 5.5.5 15. | Middle Yuba River for the No Action Alternative at Node 2 | F3 3 3 ₋ 106 |
| 3.3.3-76. | Habitat duration analysis results for the Log Cabin Diversion Dam | 23.3.3 100 |
| <i>5.5.5-1</i> 0. | Reach, Oregon Creek for the No Action Alternative at Node 0 | F3 3 3 107 |
| | Meach, Oregon Creek for the INO Action Alternative at Node U | / 101-د.د.دىـــــــــــــــــــــــــــــــــ |

| Table No. | Description | Page No. |
|------------|--|-------------------------|
| 3.3.3-77. | Habitat duration analysis results for the Log Cabin Diversion Dam | _ |
| | Reach, Oregon Creek for the No Action Alternative at Node 1 | E3.3.3-108 |
| 3.3.3-78. | Habitat duration results for the Log Cabin Diversion Dam Reach, | |
| | Oregon Creek for the No Action Alternative at Node 2 (Celestial | |
| | Valley) | E3.3.3-109 |
| 3.3.3-79. | Habitat duration results for the Log Cabin Diversion Dam Reach, | |
| | Oregon Creek for the No Action Alternative at Node 3 | E3.3.3-110 |
| 3.3.3-80. | Habitat duration results for the New Bullards Bar Dam Reach, | |
| | North Yuba River for the No Action Alternative at Node 0 | E3.3.3-111 |
| 3.3.3-81. | Habitat duration results for the New Bullards Bar Dam Reach, | |
| | North Yuba River for the No Action Alternative at Node 1 | E3.3.3-112 |
| 3.3.3-82. | Habitat duration results for the Middle/North Yuba River Reach, | |
| | Yuba River for the No Action Alternative at Node 1 | E3.3.3-113 |
| 3.3.3-83. | Habitat duration results for the New Colgate Powerhouse Reach, | |
| | Yuba River for the No Action Alternative at Node 0 | E3.3.3-114 |
| 3.3.3-84. | Habitat duration results for the New Colgate Powerhouse Reach, | |
| | Yuba River for the No Action Alternative at Node 1 | E3.3.3-115 |
| 3.3.3-85. | Hydrologic zone boundaries established for habitat modeling in the | |
| | Yuba River downstream from Englebright Dam | E3.3.3-117 |
| 3.3.3-86. | Summary table of discharge at peak WUA for Chinook salmon | |
| | spawning, fry and juvenile life stages | E3.3.3-121 |
| 3.3.3-87. | Summary table of discharge at peak WUA for steelhead spawning, | |
| | fry, juvenile, and adult life stages. | E3.3.3-121 |
| 3.3.3-88. | Summary table of discharge at peak WUA for rainbow trout adult | |
| | and lamprey ammocoete and adult life stages. | E3.3.3-121 |
| 3.3.3-89. | Englebright Dam Hydrologic Zone Chinook salmon WUA results | |
| 3.3.3-90. | Englebright Dam Hydrologic Zone steelhead WUA results | |
| 3.3.3-91. | Englebright Dam Hydrologic Zone rainbow trout adult, lamprey | 20.0.0 120 |
| | adult, and lamprey ammocoete WUA results | E3 3 3-124 |
| 3.3.3-92. | Deer Creek Hydrologic Zone Chinook salmon WUA results | |
| 3.3.3-93. | Deer Creek Hydrologic Zone steelhead WUA results | |
| 3.3.3-94 | Deer Creek Hydrologic Zone rainbow trout adult, lamprey adult, | 23.3.3 120 |
| 3.3.3)+ | and lamprey ammocoete WUA results. | E3 3 3-127 |
| 3.3.3-95. | Dry Creek Hydrologic Zone Chinook salmon WUA results | |
| 3.3.3-96. | Dry Creek Hydrologic Zone steelhead WUA results | |
| 3.3.3-97. | Dry Creek Hydrologic Zone rainbow trout adult and lamprey adult | 12.3.3-127 |
| 3.3.3-71. | and ammocoete WUA results. | F3 3 3 ₋ 130 |
| 3.3.3-98. | Daguerre Point Dam Hydrologic Zone Chinook salmon WUA | £3.3.3-130 |
| J.J.J-70. | results | F3 3 3_131 |
| 3.3.3-99. | Daguerre Point Dam Hydrologic Zone steelhead WUA results | |
| | Daguerre Point Dam Hydrologic Zone rainbow trout adult, and | 2.2.3-132 |
| 3.3.3-100. | • • | E2 2 2 122 |
| | lamprey adult and ammocoete WUA results. | E3.3.3-133 |

| Table No. | Description Description | Page No. |
|------------|---|------------|
| 3.3.3-101. | Flows at the Marysville Gage and North American green sturgeon | _ |
| | spawning WUA relationships (in pool morphological units) in the | |
| | Yuba River downstream of Daguerre Point Dam | E3.3.3-136 |
| 3.3.3-102. | Flows at the Marysville Gage and North American green sturgeon | |
| | spawning WUA relationships (in all morphological units) in the | |
| | Yuba River downstream of Daguerre Point Dam | E3.3.3-136 |
| 3.3.3-103. | Amphibian species reported from the Project vicinity. | E3.3.3-139 |
| 3.3.3-104. | Summary of FYLF surveys and other information regarding the | |
| | distribution of FYLF in the Middle Yuba River downstream of Our | |
| | House Diversion Dam | E3.3.3-144 |
| 3.3.3-105. | Summary of FYLF surveys and other information regarding the | |
| | distribution of FYLF in the North Yuba River downstream of New | |
| | Bullards Bar Dam at Site NYR-1 | E3.3.3-145 |
| 3.3.3-106. | Summary of FYLF surveys and other information regarding the | |
| | distribution of FYLF in the Yuba River downstream of Middle | |
| | Yuba/North Yuba Confluence at Sites YR-1, YR-2, and YR-2A | E3.3.3-145 |
| 3.3.3-107. | Summary of FYLF surveys and other information regarding the | |
| | distribution of FYLF in Oregon Creek downstream of Log Cabin | |
| | Diversion Dam at Sites OC-1 and OC-2 | E3.3.3-146 |
| 3.3.3-108. | Summary of FYLF surveys and other information regarding the | |
| | distribution of FYLF upstream of Project facilities on the Middle | |
| | Yuba River, North Yuba River, and Oregon Creek | E3.3.3-147 |
| 3.3.3-109. | Change in water surface elevations (ft) summarized by AOI region | |
| | for the Middle Yuba River model domain | E3.3.3-149 |
| 3.3.3-110. | Change in water surface elevations (ft) summarized by AOI region | |
| | for the Oregon Creek model domain. | E3.3.3-149 |
| 3.3.3-111. | Target Forest Service Sensitive mollusk species | E3.3.3-161 |
| 3.3.3-112. | Water quality and habitat characteristics collected at six sites in the | |
| | Yuba River downstream of Narrows 2 Powerhouse in July 2012 | E3.3.3-165 |
| 3.3.3-113. | BMI metrics from samples collected at six sites in the Yuba River | |
| | downstream of Narrows 2 Powerhouse in July 2012 | E3.3.3-166 |
| 3.3.3-114. | BMI metrics from samples collected at Site 1: Hallwood | |
| | Boulevard (RM 7) on July 19, 2012 compared to historical samples | |
| | collected by SYRCL in 2006 and 2007. | E3.3.3-167 |
| 3.3.3-115. | Comparison of Water Quality Parameters Necessary for Mussel | |
| | Invasion (Unable [red], Potentially Able [yellow], and Able | |
| | [green]) with Measurements in New Bullards Bar Reservoir | E3.3.3-168 |
| 3.3.3-116. | Facilities from which YCWA may release flow into a stream | E3.3.3-176 |
| 3.3.3-117. | Minimum Streamflows in cubic feet per second (cfs) for the Yuba | |
| | River Development Project by month and Water Year Type, which | |
| | is defined in Licensee's proposed Condition WR2 | E3.3.3-181 |
| 3.3.3-118. | Percent of maximum WUA for rainbow trout adult, spawning and | |
| | juvenile life stages in the Our House Diversion Dam Reach that | |
| | correspond with YCWA's proposed Condition AR1 | E3.3.3-182 |

| Table No. | Description | Page No. |
|------------|--|------------|
| 3.3.3-119. | Mean monthly flows (cfs) downstream of Our House Diversion | |
| | Dam for the Yuba River Index water year types from Water Year | |
| | 1970 through Water Year 2010 | E3.3.3-183 |
| 3.3.3-120. | Percent of habitat that corresponds with YCWA's proposed Project | |
| | for all species and life stages as compared to the No Action | |
| | Alternative in the Our House Diversion Dam Reach of the Middle | |
| | Yuba River. Comparison made using all water years in the period | |
| | of record | E3.3.3-184 |
| 3.3.3-121. | Comparison of simulated mean monthly water temperatures in the | |
| | Middle Yuba River downstream of Our House Dam (Our House | |
| | Diversion Dam Reach) for the No Action Alternative and Proposed | |
| | Project Alternative for WYs 1970 through 2010 | E3.3.3-186 |
| 3.3.3-122. | Comparison of simulated mean monthly water temperatures in the | |
| | Middle Yuba River upstream of Oregon Creek (Our House | |
| | Diversion Dam Reach) for the No Action Alternative and Proposed | |
| | Project Alternative for WYs 1970 through 2010 | E3.3.3-186 |
| 3.3.3-123. | Percent of maximum WUA for rainbow trout adult, spawning and | |
| | juvenile life stages in the Log Cabin Diversion Dam Reach that | |
| | correspond with the Log Cabin Diversion Dam flows shown in | |
| | YCWA's proposed Condition AR1 | E3.3.3-188 |
| 3.3.3-124. | Mean monthly flows (cfs) downstream of Log Cabin Diversion | |
| | Dam for the Yuba River Index water year types from Water Year | |
| | 1970 through Water Year 2010 | E3.3.3-190 |
| 3.3.3-125. | Percent of habitat under that corresponds with YCWA's proposed | |
| | Project for all species and life stages as compared to the No | |
| | Action Alternative in the Log Cabin Diversion Dam Reach of | |
| | Oregon Creek. Comparison made using all water years in the | |
| | period of record. | E3.3.3-191 |
| 3.3.3-126. | Comparison of simulated mean monthly water temperatures in | |
| | Oregon Creek downstream of Log Cabin Diversion Dam (Log | |
| | Cabin Diversion Dam Reach) for the No Action Alternative and | |
| | Proposed Project Alternative for WYs 1970 through 2010 | E3.3.3-194 |
| 3.3.3-127. | Comparison of simulated mean monthly water temperatures in | |
| | Oregon Creek upstream of the Middle Yuba River (Log Cabin | |
| | Diversion Dam Reach) for the No Action Alternative and Proposed | |
| | Project Alternative for WYs 1970 through 2010. | E3.3.3-195 |
| 3.3.3-128. | Percent of maximum WUA for rainbow trout adult, spawning and | |
| | juvenile life stages in the Oregon Creek Reach that correspond | |
| | with YCWA's proposed Condition AR1. | E3.3.3-196 |
| 3.3.3-129. | Combined mean monthly flow (cfs) downstream of Oregon Creek | |
| | on the Middle Yuba River for the Yuba River Index water year | |
| | types from Water Year 1970 through Water Year 2010 | E3.3.3-196 |
| | | |

| Table No. | Description | Page No. |
|------------|--|------------|
| 3.3.3-130. | Percent of habitat under that corresponds with YCWA's proposed | |
| | Project for all species and life stages as compared to the No | |
| | Action Alternative in the Oregon Creek Reach of the Middle Yuba | |
| | River. Comparison made using all water years in the period of | |
| | record. | E3.3.3-197 |
| 3.3.3-131. | Comparison of simulated mean monthly water temperatures in the | |
| | Middle Yuba River downstream of Oregon Creek (Oregon Creek | |
| | Reach) for the No Action Alternative and Proposed Project | |
| | Alternative for WYs 1970 through 2010. | E3.3.3-199 |
| 3.3.3-132. | Comparison of simulated mean monthly water temperatures in the | |
| | Middle Yuba River upstream of the North Yuba River (Oregon | |
| | Creek Reach) for the No Action Alternative and Proposed Project | |
| | Alternative for WYs 1970 through 2010. | E3.3.3-199 |
| 3.3.3-133. | Percent of maximum WUA for rainbow trout adult, spawning and | |
| | juvenile life stages in the New Bullards Bar Reach that correspond | |
| | with YCWA's proposed Condition AR1. | E3.3.3-200 |
| 3.3.3-134. | Mean monthly flows (cfs) downstream of New Bullards Bar Dam | |
| | for the Yuba River Index water year types from Water Year 1970 | |
| | through Water Year 2010 | E3.3.3-200 |
| 3.3.3-135. | Percent of habitat under that corresponds with YCWA's proposed | |
| | Project for all species and life stages as compared to the No Action | |
| | Alternative in the New Bullards Bar Dam Reach of the North Yuba | |
| | River. Comparison made using all water years in the period of | |
| | record. | E3.3.3-201 |
| 3.3.3-136. | Comparison of simulated mean monthly water temperatures in the | |
| | North Yuba River downstream of New Bullards Bar Dam for the | |
| | No Action Alternative and Proposed Project Alternative for WYs | |
| | 1970 through 2010 | E3.3.3-203 |
| 3.3.3-137. | Percent of maximum WUA for rainbow trout adult, spawning and | 20.0.0 200 |
| | juvenile life stages in the North/Middle Yuba River Reach that | |
| | correspond with YCWA's proposed Condition AR1 | E3 3 3-203 |
| 3.3.3-138. | Mean monthly flows (cfs) in the NYR/MYR Reach for the Yuba | 20.0.0 200 |
| 2.2.2 120. | River Index water year types from Water Year 1970 through Water | |
| | Year 2010. | E3 3 3-204 |
| 3.3.3-139. | Percent of habitat under that corresponds with YCWA's proposed | 23.3.3 201 |
| 3.3.3 137. | Project for all species and life stages as compared to the No | |
| | Action Alternative in the Middle/North Yuba River Reach. | |
| | Comparison made using all water years in the period of record | E3 3 3-205 |
| 3.3.3-140. | Comparison of simulated mean monthly water temperatures in the | 23.3.3 203 |
| J.J.J 170. | Yuba River upstream of New Colgate Powerhouse for the No | |
| | Action Alternative and Proposed Project Alternative for WYs 1970 | |
| | through 2010. | E3 3 3_206 |
| | unougn 2010 | 2.00 |

| Table No. | Description | Page No. |
|------------|--|------------|
| 3.3.3-141. | Mean monthly flows (cfs) downstream of the New Colgate | |
| | Powerhouse for the Yuba River Index water year types from Water | |
| | Year 1970 through Water Year 2010 | E3.3.3-207 |
| 3.3.3-142. | Percent of habitat under that corresponds with YCWA's proposed | |
| | Project for all species and life stages as compared to the No | |
| | Action Alternative in the New Colgate Powerhouse Reach. | |
| | Comparison made using all water years in the period of record | E3.3.3-207 |
| 3.3.3-143. | Comparison of simulated mean monthly water temperatures in the | |
| | Yuba River downstream of the New Colgate Powerhouse (New | |
| | Colgate Powerhouse Reach) for the No Action Alternative and | |
| | Proposed Project Alternative for WYs 1970 through 2010 | E3.3.3-209 |
| 3.3.4-1. | Special-status plant and mushroom species potentially occurring in | |
| | the vicinity of Yuba County Water Agency's Yuba River | |
| | Development Project | E3.3.4-3 |
| 3.3.4-2. | Special-status plants and mushrooms identified in the Yuba River | |
| | Development Project study area | E3.3.4-8 |
| 3.3.4-3. | Non-native invasive plants and other invasive species of concern to | |
| | the Forest Service potentially occurring in the Project Vicinity | E3.3.4-18 |
| 3.3.4-4. | Non-native invasive plant occurrences identified on public land in | |
| | the Yuba River Development Project. | E3.3.4-19 |
| 3.3.4-5. | Special-status, CESA-listed and fully protected wildlife with the | |
| | potential to occur, or known to occur within 0.25 mi of the existing | |
| | FERC Project Boundary. | E3.3.4-21 |
| 3.3.5-1. | ESA-listed species occurring or potentially occurring in the Project | |
| | Vicinity. | E3.3.5-4 |
| 3.3.5-2. | ESA-listed species that have a potential to be affected by the | |
| | Project. | E3.3.5-6 |
| 3.3.5-3. | ESA-listed plant species potentially occurring in the vicinity of | |
| | YCWA's Yuba River Development Project. | E3.3.5-10 |
| 3.3.5-4. | Recorded occurrences of CRLF within one mile of the Yuba River | |
| | Development Project Boundary and other known occurrences in | |
| | Yuba, Nevada, Sierra or Butte counties | E3.3.5-24 |
| 3.3.6-1. | Developed recreation facilities and undeveloped recreation sites at | |
| | New Bullards Bar Reservoir. | E3.3.6-4 |
| 3.3.6-2. | Income and expenses for operations of Project recreation facilities | |
| | from 2008 through 2012 | E3.3.6-6 |
| 3.3.6-3. | 2012 Project recreation visitation in Recreation Days by type of | |
| | facility, type of use and season. | E3.3.6-16 |
| 3.3.6-4. | Annual recreation use estimate projections through 2050 based on | |
| | county population growth rates | E3.3.6-17 |
| 3.3.6-5. | Projected peak season occupancy, by day type, for the Project | |
| | campgrounds through 2060 | E3.3.6-18 |
| 3.3.6-6. | Projected peak season picnic area occupancy through 2060 by day | |
| | type at Project picnic facilities | E3.3.6-19 |
| | | |

| Table No. | Description | Page No. |
|-----------------------|--|-----------------------|
| 3.3.6-7. | Current and projected peak season average occupancy levels for | |
| | parking areas at Project boat launch facilities | E3.3.6-20 |
| 3.3.6-8. | Current and projected peak season average occupancy levels for | |
| | parking areas at Project day use facilities | E3.3.6-21 |
| 3.3.6-9. | Current and projected peak season average occupancy levels for | |
| | parking areas at Project campground overflow parking areas | E3.3.6-22 |
| 3.3.6-10. | Peak number of boats-at-one-time, vehicles-at-one-time and | |
| | camping units occupied in a day (2002-2012) | E3.3.6-23 |
| 3.3.6-11. | Average, minimum and maximum BAOT and percent of boating | |
| | capacity by day type for 2011 and 2012 | E3.3.6-23 |
| 3.3.6-12. | Summary of angling locations, seasonality, constraints and success | |
| | on the Project-affected river reaches | E3.3.6-37 |
| 3.3.7-1. | Summary of land ownership within the existing FERC Project | 201010 07 |
| 0.01, 1. | Boundary by Project Development based on information provided | |
| | by the County Assessor. | E3 3 7-1 |
| 3.3.7-2. | Summary of county land within the existing FERC Project | 25.5.7 1 |
| 3.3.7 2. | Boundary by Project Development based on the relicensing GIS | |
| | database | F3 3 7-2 |
| 3.3.7-3. | Distribution of public and private lands in Yuba County | |
| 3.3.7-4. | Yuba County Zoning Ordinance land use categories in the Project | |
| 3.3.7 4. | Vicinity. | F3 3 7-3 |
| 3.3.7-5. | PNF management area standards and guidelines for New Colgate | |
| 3.3.7-3. | Development facilities. | F3 3 7 ₋ 7 |
| 3.3.7-6. | TNF management area standards and guidelines for New Colgate | |
| 3.3.7-0. | Development facilities. | F3 3 7 ₋ 7 |
| 3.3.7-7. | Yuba County Land Use designations for New Colgate | |
| 3.3.7-7. | Development facilities. | F3 3 7 ₋ 8 |
| 3.3.7-8. | Yuba County Land Use Designations for New Bullards Bar | £3.3.7-0 |
| 3.3.7-0. | Minimum Flow Development facilities | E3 3 7 0 |
| 3.3.7-9. | Property management plans for Narrows 2 Development facilities | |
| 3.3.7-9. 3.3.7-10. | Yuba County Land Use Designations for Narrows 2 Development | £3.3.7-9 |
| 3.3.7-10. | facilities | E2 2 7 10 |
| 3.3.7-11. | Primary Project Roads and Recreation Roads shown by road ID, | E3.3.7-10 |
| 3.3.7-11. | length, width, surface treatment, and overall condition. 1 | E2 2 7 12 |
| 2 2 7 12 | | E3.3.7-13 |
| 3.3.7-12. | Wildfires in the Yuba River Development Project Vicinity from | E2 2 7 16 |
| 2 2 7 12 | 2003 through 2011. | E3.3./-10 |
| 3.3.7-13. | Wildfires within the Yuba River Development proposed Project | E2 2 7 17 |
| 22714 | Boundary from 2003 through 2011 | E3.3./-1/ |
| 3.3.7-14. | Wildfires outside of the proposed FERC Project Boundary (2003- | E2 2 7 17 |
| 22715 | 2011). | |
| 3.3.7-15. | Fire Occurrence Analysis Statistics by Cause (2003 – 2011) | |
| 3.3.8-1. | Project system features/facilities and NRHP eligibility | |
| 3.3.8-2. | YCWA's Cultural Resources outlined in the HPMP | E3.3.8-20 |

| Table No. | Description Description | Page No. |
|------------|--|------------|
| 3.3.10-1. | Summary of Yuba County population and housing units, 1960- | |
| | 2010 and 2012 | E3.3.10-2 |
| 3.3.10-2. | Summary of Yuba County by age group, 2011. | E3.3.10-2 |
| 3.3.10-3. | Summary of household units and income in Yuba County and the | |
| | State of California. | E3.3.10-3 |
| 3.3.10-4. | Summary of population by gender and race in Yuba County and | |
| | the State of California, 2011. | |
| 3.3.10-5. | Summary of industry statistics for Yuba County, 2011 | E3.3.10-4 |
| 3.3.10-6. | Summary of Sierra County population and housing units, 1960 – | |
| | 2010 and 2012 | |
| 3.3.10-7. | Summary of population in Sierra County by age group, 2011 | E3.3.10-6 |
| 3.3.10-8. | Summary of household units, homeownership, home value, and | |
| | income in Sierra County and the State of California. | E3.3.10-6 |
| 3.3.10-9. | Summary of population by gender and race in Sierra County and | |
| | the State of California for 2011. | |
| 3.3.10-10. | Summary of industry statistics for Sierra County, 2012 | E3.3.10-8 |
| 3.3.10-11. | Summary of Nevada County population and housing units, 1960 – | |
| | 2010, 2012, and 2013 | E3.3.10-9 |
| 3.3.10-12. | Summary of population in Nevada County and California by age | |
| | group, 2011 | E3.3.10-9 |
| 3.3.10-13. | Summary of household units, homeownership, home value, and | |
| | income in Nevada County and the State of California. | E3.3.10-9 |
| 3.3.10-14. | Summary of population by gender and race in Nevada County and | |
| | the State of California for 2011. | |
| 3.3.10-15. | Summary of industry statistics for Nevada County, March 2013 | E3.3.10-11 |
| 3.3.10-16. | Federal, State, and local agencies YCWA pays annually for | |
| | Project-related services. | |
| 3.3.11-1. | California and federal ambient air quality standards | E3.3.11-2 |
| 3.3.11-2. | Attainment status for air quality pollutants in Nevada, Sierra and | |
| | Yuba counties. ¹ | |
| 3.3.12-1. | Sierra, Yuba and Nevada counties' noise standards | E3.3.12-2 |
| 4.2-1. | Cost items common to No Action Alternative and YCWA's | |
| | Proposed Project Alternative. | E4-2 |
| 4.3-1. | Comparison of annual power benefits, costs net benefits between | |
| | No Action Alternative and YCWA's Proposed Project Alternative | E4-3 |
| 4.3-2. | Yuba County Water Agency's estimated costs in 2013 U.S. dollars | |
| | related to implementation of YCWA's proposed conditions as part | |
| | of continued operation of the Yuba River Development Project. | |
| | All costs are rounded up to at least the nearest \$1,000 | E4-5 |
| 7.0-1. | Federal, State of California, and local agency; Native American | |
| | tribes; and members of the public with which YCWA consulted for | |
| | the relicensing of the Yuba River Development Project | E7-2 |
| | | |