Table of Contents

Secti	on No.			Description P	age No.
1.0	Introd	uction			E1-1
	1.1	YCWA	A's Applic	eation for a New License	E1-1
	1.2	Purpos	se of Actio	on and Need for Power	E1-7
		1.2.1	Purpose o	of Actions	E1-7
		1.2.2	Need for	Power	E1-8
	1.3	Statuto	ory and Re	gulatory Requirements	E1-8
		1.3.1	Migrator	y Bird Treaty Act of 1918	E1-10
		1.3.2	Federal F	Power Act of 1920	E1-11
			1.3.2.1	Section 4(e) Conditions	E1-11
			1.3.2.2	Section 10(a) Recommendations	E1-12
			1.3.2.3	Section 10(j) Recommendations	E1-12
			1.3.2.4	Section 18 Fishway Prescriptions	E1-13
		1.3.3	Bald and	Golden Eagle Protection Act of 1940	E1-14
		1.3.4	Californi	a Fully Protected Species Statutes (1957)	E1-14
		1.3.5	National	Historic Preservation Act of 1966	E1-15
		1.3.6	Wild and	Scenic Rivers Act of 1968	E1-17
		1.3.7	National	Environmental Policy Act of 1969	E1-18
		1.3.8	Clean Wa	ater Act of 1970	E1-19
		1.3.9	Clean Ai	r Act of 1970	E1-22
		1.3.10	Californi	a Environmental Quality Act of 1970	E1-23
		1.3.11	Coastal Z	Zone Management Act of 1972	E1-24
		1.3.12	Californi	a Wild and Scenic Rivers Act of 1972	E1-24
		1.3.13	Endanger	red Species Act of 1973	E1-25
		1.3.14		n-Stevens Fishery Conservation and Management Act of	
				a Native Plant Protection Act of 1977	
		1.3.16		Northwest Electric Power Planning and Conservation Act	
		1 0 17			
				ess Act of 1984	
				ia Endangered Species Act of 1984	
		1.3.19		ervice's Outdoor Recreation Accessibility Guidelines of Architectural Barriers Act Accessibility Standards	
		1.3.20	American	ns with Disabilities Act of 2010	E1-31
	1.4	Public	Review a	nd Comment	E1-31
		1.4.1	Scoping .		E1-32
		1.4.2	Intervent	ions	E1-33

Table of Contents (continued)

Secti	on No.			Description	Page No.
		1.4.3	Cooperat	ing Agency Status	E1-33
		1.4.4	Relicensi	ng Studies	E1-33
			1.4.4.1	FERC's Determination on Revised Study Plan	E1-33
			1.4.4.2	FERC's Determination Regarding Study Disputes	E1-39
			1.4.4.3	FERC's Determination on Initial Study Report	E1-39
			1.4.4.4	FERC's Determination on Updated Study Report	E1-40
			1.4.4.5	Study Status	E1-41
		1.4.5	Commen	ts on the Draft License Application	E1-43
		1.4.6	Commen	ts on the Final License Application	E1-44
		1.4.7	Commen	ts on the Draft Environmental Assessment	E1-45
2.0	Propo	sed Act	ion and Al	ternatives	E2-1
	2.1	No Ao	ction Alter	native	E2-1
		2.1.1	Existing	Project Facilities	E2-1
			2.1.1.1	New Colgate Development	E2-2
			2.1.1.2	New Bullards Bar Minimum Flow Development	E2-7
			2.1.1.3	Narrows 2 Development	E2-7
		2.1.2	Existing	Project Boundary	E2-10
		2.1.3	Existing	Project Safety	E2-11
		2.1.4	Existing	Project Operations	E2-11
			2.1.4.1	Narrows 2 – Flow Transitions	E2-13
		2.1.5	Existing	Environmental Measures	E2-16
			2.1.5.1	Measures in Current FERC License	E2-16
			2.1.5.2	Measures in Other Licenses, Agreements and Cont	
				that Affect Operations	
	2.2		•	sal	
		2.2.1		Project Facilities	
			2.2.1.1	Generation Facilities	
			2.2.1.2	Non-Generation Facilities	
		2.2.2	-	Project Boundary	
		2.2.3	_	Project Operations	
		2.2.4	-	Environmental Measures	
	2.3	Altern		sidered But Eliminated From Further Analysis	
		2.3.1		e Project	
		2.3.2		on-Power License	
		2.3.3	Federal A	Agency Takeover of the Project	E2-55

Table of Contents (continued) Description

Section No.			Description	age No.
	2.3.4		es Proposed by Foothill Water Network in its DLA	
3.0 Envi	ronmenta	ıl Analysis.		E3-1
3.1	Gener	al Descripti	on of the River Basin	E3-3
	3.1.1	Existing V	Vater Projects in the Yuba River Basin	E3-3
		3.1.1.1	Yuba River Development Project	E3-3
		3.1.1.2	South Feather Power Project	E3-3
		3.1.1.3	Deadwood Creek Project	E3-3
		3.1.1.4	Yuba-Bear Hydroelectric Project	E3-3
		3.1.1.5	Francis Dam	E3-4
		3.1.1.6	Drum-Spaulding Project	E3-4
		3.1.1.7	Englebright Dam	E3-4
		3.1.1.8	Narrows Project	E3-5
		3.1.1.9	Wildwood Dam	E3-5
		3.1.1.10	Scotts Flat Project	E3-5
		3.1.1.11	Los Verjeles Dam	E3-5
		3.1.1.12	Virginia Ranch Dam Project	E3-5
		3.1.1.13	Hallwood-Cordua Diversion	E3-5
		3.1.1.14	South Yuba-Brophy Diversion	E3-6
		3.1.1.15	Browns Valley Diversion	E3-6
		3.1.1.16	Daguerre Point Dam	E3-6
	3.1.2	The River	Basin	E3-6
		3.1.2.1	North Yuba River Sub-basin	E3-11
		3.1.2.2	Middle Yuba River Sub-basin	E3-12
		3.1.2.3	South Yuba River Sub-basin	E3-13
		3.1.2.4	Yuba River Sub-basin	E3-14
		3.1.2.5	Feather River, Sacramento River and Delta	E3-15
		3.1.2.6	Potentially-Affected Yuba River Stream Reaches	E3-16
		3.1.2.7	Yuba River Basin Streams and Tributaries	E3-17
		3.1.2.8	Yuba River Basin Dams	E3-18
	3.1.3	Climate		E3-23
	3.1.4	Major Lar	nd Uses	E3-24
	3.1.5	Major Wa	ter Uses	E3-24
3.2	Scope	of Cumula	tive Effects Analysis	E3-25
	3.2.1		c Scope for Analysis of Cumulatively Affected	

Section No.

Table of Contents (continued) Description

Page No.

	3.2.2	Temporal	Scope for Analysis of Cumulatively Affected	d Resources E3-26
	3.2.3		esent and Reasonably Foreseeable Futu	
		Considere	ed for Analysis of Cumulatively Affected Res	sourcesE3-26
		3.2.3.1	Past and Present Actions	
		3.2.3.2	Reasonably Foreseeable Future Actions	
3.3	Propo		and Action Alternatives	
	3.3.1	Geology a	and Soils	E3.3.1-1
		3.3.1.1	Affected Environment	E3.3.1-1
		3.3.1.2	Environmental Effects	E3.3.1-28
		3.3.1.3	Cumulative Effects	E3.3.1-34
		3.3.1.4	Proposed Environmental Conditions	E3.3.1-34
		3.3.1.5	Unavoidable Adverse Effects	E3.3.1-38
	3.3.2	Water Res	sources	E3.3.2-1
		3.3.2.1	Affected Environment	E3.3.2-1
		3.3.2.2	Environmental Effects	E3.3.2-64
		3.3.2.3	Cumulative Effects	E3.3.2-131
		3.3.2.4	Proposed Environmental Conditions	E3.3.2-135
		3.3.2.5	Unavoidable Adverse Effects	E3.3.2-141
	3.3.3	Aquatic R	Resources	E3.3.3-1
		3.3.3.1	Affected Environment	E3.3.3-2
		3.3.3.2	Environmental Effects	E3.3.3-197
		3.3.3.3	Cumulative Effects	E3.3.3-245
		3.3.3.4	Proposed Environmental Conditions	E3.3.3-248
		3.3.3.5	Unavoidable Adverse Effects	E3.3.3-258
	3.3.4	Terrestria	l Resources	E3.3.4-1
		3.3.4.1	Affected Environment	E3.3.4-1
		3.3.4.2	Environmental Effects	E3.3.4-31
		3.3.4.3	Cumulative Effects	E3.3.4-73
		3.3.4.4	Proposed Environmental Condition	E3.3.4-75
		3.3.4.5	Unavoidable Adverse Effects	E3.3.4-81
	3.3.5	Threatene	ed and Endangered Species	E3.3.5-1
		3.3.5.1	Identification of Potentially-Affected Species and Critical Habitat	
		3.3.5.2	Consultation with USFWS, NMFS Relicensing Participants	
		3.3.5.3	Affected Environment	

Section No. Description Page No. 3.3.5.4 3.3.5.5 3.3.5.6 3.3.6 Recreation Resources E3.3.6-1 3.3.6.1 Affected Environment.....E3.3.6-1 3.3.6.2 3.3.6.3 3.3.6.4 Unavoidable Adverse ImpactsE3.3.6-55 3.3.7 Affected Environment......E3.3.7-1 3.3.7.1 3.3.7.2 3.3.7.3 3.3.7.4 Unavoidable Adverse EffectsE3.3.7-26 3.3.8 3.3.8.1 Affected Environment.....E3.3.8-1 3.3.8.2 Environmental EffectsE3.3.8-19 3.3.8.3 3.3.8.4 3.3.9 Aesthetic Resources E3.3.9-1 3.3.9.1 Affected Environment.....E3.3.9-1 Environmental EffectsE3.3.9-3 3.3.9.2 3.3.9.3 3.3.9.4 3.3.10.1 Affected Environment......E3.3.10-1 3.3.10.2 Environmental Effects E3.3.10-13 3.3.10.3 Proposed Conditions E3.3.10-13 3.3.10.4 Unavoidable Adverse Impacts E3.3.10-13 3.3.11.1 Affected Environment......E3.3.11-1 3.3.11.2 3.3.11.3 Proposed Environmental ConditionsE3.3.11-5 3.3.11.4 Unavoidable Adverse EffectsE3.3.11-5 3.3.12.1 Affected Environment.....E3.3.12-1 3.3.12.2

Table of Contents (continued)

Table of Contents (continued) Page No. Section No. **Description** 3.3.12.3 Proposed Environmental ConditionsE3.3.12-3 Unavoidable Adverse EffectsE3.3.12-3 3.3.12.4 4.0 Developmental Analysis E4-1 4.1 4.2 Comparison of AlternativesE4-3 4.3 5.0 Conclusions E5-1 Comparison of Alternatives E5-1 5.1 5.2 Comprehensive Development and Recommended Alternative E5-1 Unavoidable Adverse Effects E5-1 5.3 5.4 6.0 Literature Cited E6-1 7.0 **List of Figures Description** Page No. Figure No. 1.1-1. Yuba River watershed in relation to the Feather River and other Yuba County Water Agency's Yuba River Development Project 1.1-2. 2.1-1.2.1-2. 2.1-3. Longitudinal schematic of New Bullards Bar Dam on the North Yuba River and New Colgate Power Tunnel and Powerhouse on the Yuba River. E2-5 Longitudinal schematic of Narrows 2 Powerhouse Penstock and 2.1-4.Powerhouse. E2-9 2.1-5. Yuba Accord North Yuba Water Year Type Index. E2-21 2.1-6. Schematic flow diagram for YCWA's proposed New Colgate 2.2 - 1.Powerhouse Tailwater Depression System. E2-27 General arrangement for YCWA's proposed New Colgate 2.2-2. 2.2-3. Piping sections and details for YCWA's proposed New Colgate

Figure No.	Description	Page No.
2.2-4.	Conceptual level plan and profile for YCWA's proposed New Bullards Bar Dam Flood Control Outlet.	E2-34
2.2-5.	Construction area for YCWA's proposed New Bullards Bar Flood Control Outlet.	E2-39
3.1-1.	Streambed gradient of the Yuba River from the most upstream Project facility on each tributary to the Yuba River confluence with the Feather River.	E3-7
3.1-2.	Yuba River sub-basins.	E3-9
3.1-3.	General location of dams within the Yuba River watershed	E3-21
3.3.1-1.	Generalized geologic map of the Project Vicinity. Project Vicinity was defined for the purposes of area computations as an area roughly 3 miles beyond the existing FERC Project Boundary	E3.3.1-3
3.3.1-2.	Active and inactive mines in the Project Vicinity. Project Vicinity was defined for the purposes of area computations as an area roughly 3 miles beyond the existing FERC Project Boundary	E3.3.1-6
3.3.1-3.	Soil associations within 3 miles of the Project Area	E3.3.1-12
3.3.1-4.	Study area and sites for YCWA's Study 1.1, Channel Morphology Upstream of Englebright Reservoir	E3.3.1-25
3.3.2-1.	Schematic of the Project Vicinity, including USGS gage identification numbers.	E3.3.2-6
3.3.2-2.	Water temperature profiles in New Bullards Bar Reservoir near the dam in 2011	E3.3.2-28
3.3.2-3.	Water temperature profiles in Englebright Reservoir near the dam in 2011.	E3.3.2-29
3.3.2-4.	Water temperature profiles in Englebright Reservoir 3.3 mi upstream of the dam in 2011	E3.3.2-29
3.3.2-5.	New Bullards Bar Reservoir DO concentration profiles at four dates in 2011.	E3.3.2-31
3.3.2-6.	New Bullards Bar Reservoir water temperature profiles at four dates in 2011.	
3.3.2-7.	Englebright Reservoir DO concentration profiles at four dates in 2011	E3.3.2-34
3.3.2-8.	Englebright Reservoir temperature profiles at four dates in 2011	E3.3.2-34
3.3.2-9.	Daily maximum water temperatures in the Middle Yuba River downstream of Our House Diversion Dam (Site M01, loggers A –	
	D; flow—USGS 11408880)	E3.3.2-44
3.3.2-10.	Daily maximum water temperatures in the Middle Yuba River upstream of the confluence with Oregon Creek (Site M02, loggers A – D; flow—USGS 11408880)	E3 3 2 1/5
	л – D, 110w—0303 1140000/j	£5.3.4 -4 3

2 2 2 11		
3.3.2-11.	Daily maximum water temperatures in the Middle Yuba River downstream of the confluence with Oregon Creek (Site M03, loggers A – D; flow—USGS 11408880 + USGS 11409400)	E3.3.2-45
3.3.2-12.	Daily maximum water temperatures in Oregon Creek near Celestial Valley (Site M04, loggers A – D; USGS 11409400)	E3.3.2-46
3.3.2-13.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along the Middle Yuba River	E3.3.2-50
3.3.2-14.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along the Middle Yuba River	E3.3.2-50
3.3.2-15.	Simulated daily water temperatures for a normal WY (2005) at various locations along the Middle Yuba River.	E3.3.2-51
3.3.2-16.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along Oregon Creek.	E3.3.2-52
3.3.2-17.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along Oregon Creek.	E3.3.2-52
3.3.2-18.	Simulated daily water temperatures for a representative normal WY (2005) at various locations along Oregon Creek	E3.3.2-53
3.3.2-19.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along the North Yuba River	E3.3.2-54
3.3.2-20.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along the North Yuba River	E3.3.2-54
3.3.2-21.	Simulated daily water temperatures for a representative normal WY (2005) at various locations along the North Yuba River	E3.3.2-55
3.3.2-22.	North Yuba River downstream of New Bullards Bar Dam	E3.3.2-56
3.3.2-23.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along the Yuba River upstream of Englebright Reservoir.	E3.3.2-57
3.3.2-24.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along the Yuba River upstream of Englebright Reservoir.	E3.3.2-57
3.3.2-25.	Simulated daily water temperatures for a representative normal WY (2005) at various locations along the Yuba River upstream of Englebright Reservoir.	E3.3.2-58
3.3.2-26.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along the Yuba River downstream of the Narrows 2 Powerhouse.	E3.3.2-59
3.3.2-27.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along the Yuba River downstream of the Narrows 2 Powerhouse.	

Figure No.	Description	Page No.
3.3.2-28.	Simulated daily water temperatures for a representative normal WY (2005) at various locations along the Yuba River downstream of the Narrows 2 Powerhouse.	E3.3.2-60
3.3.2-29.	Simulated daily New Bullards Bar Reservoir water surface elevation for the No Action and YCWA's Proposed Project (Existing) alternatives for representative wet (1998), dry (2001) and normal (2005) WYs	E3.3.2-81
3.3.2-30.	Simulated bi-weekly New Bullards Bar Reservoir 10°C and 15°C isotherm elevations for the No Action and YCWA's Proposed Project (Existing) alternatives for a representative wet (1998) WY. The elevation of the New Colgate Power Tunnel upper and lower intakes is shown.	E3.3.2-82
3.3.2-31.	Simulated bi-weekly New Bullards Bar Reservoir 10°C and 15°C isotherm elevations for the No Action and YCWA's Proposed Project (Existing) alternatives for a representative dry (2001) WY. The elevation of the New Colgate Power Tunnel upper and lower intakes is shown.	E3.3.2-83
3.3.2-32.	Simulated bi-weekly New Bullards Bar Reservoir 10°C and 15°C isotherm elevations for the No Action and YCWA's Proposed Project (Existing) alternatives for a representative normal (2005) WY. The elevation of the New Colgate Power Tunnel upper and lower intakes is shown.	E3.3.2-83
3.3.2-33.	Simulated exceedance probability of end-of-September New Bullards Bar Reservoir storage for the No Action and YCWA's Proposed Project (Existing) alternatives for WYs 1970 through 2010	E3.3.2-84
3.3.2-34.	Simulated daily Englebright Reservoir water surface elevation for the No Action and YCWA's Proposed Project (Existing) alternatives for representative wet (1998), dry (2001) and normal (2005) WYs	E3.3.2-85
3.3.2-35.	Simulated bi-weekly Englebright Reservoir 10°C and 15°C isotherm elevations for the No Action and YCWA's Proposed Project (Existing) alternatives for a representative wet (1998) WY. The elevation of the Narrows 2 Power Tunnel intake is shown	E3.3.2-86
3.3.2-36.	Simulated bi-weekly Englebright Reservoir 10°C and 15°C isotherm elevations for the No Action and YCWA's Proposed Project (Existing) alternatives for a representative dry (2001) WY. The elevation of the Narrows 2 Power Tunnel intake is shown	E3.3.2-86

Figure No.	Description	Page No.
3.3.2-37.	Simulated bi-weekly Englebright Reservoir 10°C and 15°C isotherm elevations for the No Action and YCWA's Proposed Project (Existing) alternatives for a representative normal (2005) WY. The elevation of the Narrows 2 Power Tunnel intake is	
	shown	E3.3.2-87
3.3.2-38.	Simulated daily Narrows 2 Powerhouse release water temperatures for representative wet (1998), dry (2001), and normal (2005) water years.	E3.3.2-88
3.3.2-39.	Exceedance curves of modeled annual irrigation deliveries to YCWA Member Units for the No Action and YCWA's proposed Project (Existing) alternatives for WYs 1970 through 2010	
3.3.2-40.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along the Middle Yuba River	E3.3.2-95
3.3.2-41.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along the Middle Yuba River	E3.3.2-96
3.3.2-42.	Simulated daily water temperatures for a representative normal WY (2005) at various locations along the Middle Yuba River	E3.3.2-96
3.3.2-43.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along Oregon Creek.	E3.3.2-97
3.3.2-44.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along Oregon Creek.	E3.3.2-98
3.3.2-45.	Simulated daily water temperatures for a representative normal WY (2005) at various locations along Oregon Creek	E3.3.2-98
3.3.2-46.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along the North Yuba River	E3.3.2-99
3.3.2-47.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along the North Yuba River	E3.3.2-100
3.3.2-48.	Simulated daily water temperatures for a representative dry WY (2005) at various locations along the North Yuba River	E3.3.2-100
3.3.2-49.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along the Yuba River upstream of Englebright Reservoir.	E3.3.2-101
3.3.2-50.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along the Yuba River upstream of Englebright Reservoir.	E3.3.2-102
3.3.2-51.	Simulated daily water temperatures for a representative normal WY (2005) at various locations along the Yuba River upstream of Englebright Reservoir.	

Figure No.	Description	Page No.
3.3.2-52.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along the Yuba River downstream of the Narrows 2 Powerhouse.	E3.3.2-103
3.3.2-53.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along the Yuba River downstream of the Narrows 2 Powerhouse.	E3.3.2-104
3.3.2-54.	Simulated daily water temperatures for a representative normal WY (2005) at various locations along the Yuba River downstream of the Narrows 2 Powerhouse.	E3.3.2-104
3.3.2-55.	Exceedance curves of modeled mean daily water temperatures in the Middle Yuba River downstream of Our House Dam for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-106
3.3.2-56.	Exceedance curves of modeled mean daily water temperatures in the Middle Yuba River upstream of Oregon Creek for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-107
3.3.2-57.	Exceedance curves of modeled mean daily water temperatures in the Middle Yuba River downstream of Oregon Creek for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-108
3.3.2-58.	Exceedance curves of modeled mean daily water temperatures in the Middle Yuba River upstream of the North Yuba River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-109
3.3.2-59.	Exceedance curves of modeled mean daily water temperatures in Oregon Creek downstream of Log Cabin Diversion Dam for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-110
3.3.2-60.	Exceedance curves of modeled mean daily water temperatures in Oregon Creek upstream of the Middle Yuba River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-111
3.3.2-61.	Exceedance curves of modeled mean daily water temperatures in the North Yuba River upstream of the Middle Yuba River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-113
3.3.2-62.	Exceedance curves of modeled mean daily water temperatures in the Yuba River downstream of the Middle Yuba River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-114

Figure No.	Description	Page No.
3.3.2-63.	Exceedance curves of modeled mean daily water temperatures in the Yuba River upstream of the New Colgate Powerhouse for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-115
3.3.2-64.	Exceedance curves of modeled mean daily water temperatures in the Yuba River downstream of the New Colgate Powerhouse for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-117
3.3.2-65.	Exceedance curves of modeled mean daily water temperatures in the Yuba River near Smartsville for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010	E3.3.2-118
3.3.2-66.	Exceedance curves of modeled mean daily water temperatures in the Yuba River downstream of Deer Creek for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-119
3.3.2-67.	Exceedance curves of modeled mean daily water temperatures in the Yuba River near Parks Bar for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010	E3.3.2-120
3.3.2-68.	Exceedance curves of modeled mean daily water temperatures in the Yuba River downstream of Dry Creek for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-121
3.3.2-69.	Exceedance curves of modeled mean daily water temperatures in the Yuba River downstream of Daguerre Point Dam for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-123
3.3.2-70.	Exceedance curves of modeled mean daily water temperatures in the Yuba River near Marysville for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010	E3.3.2-124
3.3.2-71.	Exceedance curves of modeled mean daily water temperatures in the Yuba River upstream of the Feather River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-125
3.3.2-72.	Simulated daily water temperatures for a representative wet WY (1998) at various locations along the Yuba River downstream of the Narrows 2 Powerhouse for the No Action Alternative compared to the Future Proposed Project Alternative	E3.3.2-134
3.3.2-73.	Simulated daily water temperatures for a representative dry WY (2001) at various locations along the Yuba River downstream of the Narrows 2 Powerhouse for the No Action Alternative compared to the Future Proposed Project Alternative	E3.3.2-134

List of Figures (continued) Description

Figure No.	Description	Page No.
3.3.2-74.	Simulated daily water temperatures for a representative normal WY (2005) at various locations along the Yuba River downstream of the Narrows 2 Powerhouse for the No Action Alternative compared to the Future Proposed Project Alternative	E3.3.2-135
3.3.3-1.	Size distribution and direction of migrating hardhead observed using a VAKI RiverwatcherTM fish monitoring system at Daguerre Point Dam fishways (RM 11.6) between January 2004 and February 2012.	E3.3.3-7
3.3.3-2.	Temporal distribution and direction of migrating hardhead observed using a VAKI RiverwatcherTM fish monitoring system at Daguerre Point Dam fishways (RM 11.6) between January 2004 and February 2012.	E3.3.3-8
3.3.3-3.	Study area reaches. Note: the "Feather River Reach" (Feather River downstream of the Yuba River) eventually flows into the Sacramento River.	E3.3.3-21
3.3.3-4.	Non-anadromous species composition collected by RSTs in the Yuba River downstream of Englebright Dam during the 2007-2008 and 2008-2009 RMT surveys. (Asterisk indicates introduced species)	E3.3.3-41
3.3.3-5.	Simpson Lane Reach-specific species relative abundance observed by electrofishing and snorkeling based on the combined study results of Beak (1989) and Kozlowski (2004)	E3.3.3-44
3.3.3-6.	Daguerre Point Dam Reach-specific species relative abundance observed by electrofishing and snorkeling based on the combined study results of Beak (1989) and Kozlowski (2004).	E3.3.3-45
3.3.3-7.	Garcia Gravel Pit Reach-specific species relative abundance observed by electrofishing and snorkeling based on the combined study results of Beak (1989) and Kozlowski (2004).	E3.3.3-46
3.3.3-8.	Narrows Reach-specific species relative abundance observed by electrofishing and snorkeling based on the combined study results of Beak (1989) and Kozlowski (2004)	E3.3.3-47
3.3.3-9.	Temporal distribution of fish species observed during the RST surveys 1999-2009.	E3.3.3-50
3.3.3-10.	Temporal distribution of primary species observed passing Daguerre Point Dam RM 11.6) during the VAKI Riverwatcher TM surveys from 2007 through 2010.	E3.3.3-51
3.3.3-11.	Map of the Feather River in the vicinity of the confluence with the Yuba River.	E3.3.3-54
3.3.3-12.	Summary of detection and rate of diversion at Lohman Ridge Diversion Tunnel.	E3.3.3-60

Figure No.	Description	Page No.
3.3.3-13.	Summary of detection and rate of diversion at Camptonville Diversion Tunnel.	E3.3.3-61
3.3.3-14.	Looking upstream to the location of the study area in proximity to the Narrows 2 Powerhouse.	E3.3.3-66
3.3.3-15.	Location of Condemned Bar downstream of the New Colgate Powerhouse. Hydraulic transects, bar habitat mapping, fish stranding survey routes and fish stranding observations are shown	E3.3.3-73
3.3.3-16.	Location of French Bar downstream of New Colgate Powerhouse Reach. Hydraulic transects, bar habitat mapping, fish stranding survey routes and fish stranding observations are shown	E3.3.3-74
3.3.3-17.	Condemned Bar and French Bar stranding survey counts by event	E3.3.3-75
3.3.3-18.	General location of the fish carcass observed by YCWA Operations staff on October 23, 2012 in relation to the Narrows 2 Powerhouse and Englebright Dam (yellow dot)	E3.3.3-79
3.3.3-19.	Fifteen-minute flows data at the Full Bypass, Narrows 1 Powerhouse, and Smartsville Gage from 12:00 p.m. on October 22, 2012 to 12:00 p.m. on October 24, 2012. The Narrows 2 Powerhouse and the Partial Bypass did not operate during this period, and spills over Englebright Dam did not occur	E3.3.3-80
3.3.3-20.	Sean Hoobler of Cal Fish and Wildlife holding an adult Chinook salmon carcass found in the crevice he is kneeling in on October 25, 2012. Photo taken by John Wooster of NMFS	E3.3.3-81
3.3.3-21.	Fifteen-minute discharge data at the Partial Bypass, Full Bypass, Narrows 1 Powerhouse, and Smartsville Gage from 12:00 p.m. on October 24, 2012 to 12:00 p.m. on October 26, 2012. The Narrows 2 Powerhouse did not operate during this period, and spills over Englebright Dam did not occur. The time the fish carcass was observed is shown.	
3.3.3-22.	Series of photos cataloging the location and position of the fish carcass found on October 7, 2013	E3.3.3-84
3.3.3-23.	Fifteen-minute discharge data at the Partial Bypass, Full Bypass, Narrows 1 Powerhouse, and Smartsville Gage from 2:00 p.m. October 6, 2013 to 2:00 p.m. October 8, 2013. The Narrows 2 Powerhouse did not operate during this period, and spills over Englebright Dam did not occur	E3.3.3-86
3.3.3-24.	Series of photos that show the pool in which the fish were observed on October 11, 2013. The photos were taken from the Narrows 2 Powerhouse deck looking south across the Yuba River	

Figure No.	Description	Page No.
3.3.3-25.	Fifteen-minute discharge data at the Narrows 2 Powerhouse, Full Bypass, Narrows 1 Powerhouse, and Smartsville Gage from 12:00 p.m. October 10, 2013 to 12:00 p.m. October 14, 2013. The Partial Bypass did not operate during this period, and Englebright Dam did not spill. The time the fish were observed in the pool is shown.	E3.3.3-89
3.3.3-26.	Daguerre Point Dam and associated north and south fish ladders. The South Yuba-Brophy District is seen in the upper left corner of the photograph.	E3.3.3-92
3.3.3-27.	The Daguerre Point Dam north (on left) and south (on right) fish ladders.	E3.3.3-92
3.3.3-28.	Hallwood-Cordua Diversion. Image on the left shows the control gate headworks on the north abutment of Daguerre Point Dam. Image on the right shows the current v-shaped screen.	E3.3.3-96
3.3.3-29.	The South Yuba-Brophy Diversion. The image on the left shows the general location of the diversion (center of picture) relative to Daguerre Point Dam. The image on the right shows an aerial view of the bypass channel, rock gabion, and diversion pool	E3.3.3-97
3.3.3-30.	Browns Valley Diversion. Image shows the screen and diversion forebay.	E3.3.3-98
3.3.3-31.	WUA for rainbow trout in the Our House Diversion Dam Reach of the Middle Yuba River	E3.3.3-101
3.3.3-32.	WUA for Sacramento sucker in the Our House Diversion Dam Reach of the Middle Yuba River.	E3.3.3-102
3.3.3-33.	WUA for rainbow trout in the Oregon Creek Reach of the Middle Yuba River.	E3.3.3-103
3.3.3-34.	WUA for Sacramento sucker in the Oregon Creek Reach of the Middle Yuba River.	E3.3.3-104
3.3.3-35.	WUA for rainbow trout in the Log Cabin Diversion Dam sub-reach of Oregon Creek.	E3.3.3-105
3.3.3-36.	WUA for Sacramento sucker in the Log Cabin Diversion Dam sub- reach of Oregon Creek.	E3.3.3-106
3.3.3-37.	WUA for rainbow trout in the Celestial Valley sub-reach of Oregon Creek.	
3.3.3-38.	WUA for Sacramento sucker in the Celestial Valley sub-reach of Oregon Creek.	
3.3.3-39.	WUA for rainbow trout in the New Bullards Bar Dam Reach of the North Yuba River.	
3.3.3-40.	WUA for Sacramento sucker in the New Bullards Bar Dam Reach of the North Yuba River.	

Figure No.	Description	Page No.
3.3.3-41.	WUA for hardhead and pikeminnow in the New Bullards Bar Dam Reach of the North Yuba River.	E3.3.3-111
3.3.3-42.	WUA for rainbow trout in the Middle/North Yuba River Reach of the Yuba River.	E3.3.3-112
3.3.3-43.	WUA for Sacramento sucker in the Middle/North Yuba River Reach of the Yuba River	E3.3.3-113
3.3.3-44.	WUA for hardhead and pikeminnow in the Middle/North Yuba River Reach of the Yuba River	E3.3.3-114
3.3.3-45.	WUA for rainbow trout in the New Colgate Powerhouse Reach of the Yuba River.	E3.3.3-115
3.3.3-46.	WUA for Sacramento sucker in the New Colgate Powerhouse Reach of the Yuba River	E3.3.3-116
3.3.3-47.	WUA for hardhead and pikeminnow in the New Colgate Powerhouse Reach of the Yuba River.	E3.3.3-117
3.3.3-48.	Map of hydrologic node locations for the habitat duration analysis (HDA).	E3.3.3-123
3.3.3-49.	Habitat duration analysis results for the Our House Diversion Dam Reach, Middle Yuba River for the No Action Alternative at Node 0	E3.3.3-125
3.3.3-50.	Habitat duration analysis results for the Our House Diversion Dam Reach, Middle Yuba River for the No Action Alternative at Node 1	E3.3.3-126
3.3.3-51.	Habitat duration analysis results for the Oregon Creek Reach, Middle Yuba River for the No Action Alternative at Node 2	E3.3.3-127
3.3.3-52.	Habitat duration analysis results for the Log Cabin Diversion Dam Reach, Oregon Creek for the No Action Alternative at Node 0	E3.3.3-128
3.3.3-53.	Habitat duration analysis results for Log Cabin Diversion Dam Reach, Oregon Creek for the No Action Alternative at Node 1	E3.3.3-129
3.3.3-54.	Habitat duration results for the Log Cabin Diversion Dam Reach, Oregon Creek for the No Action Alternative at Node 2 (Celestial Valley)	E3.3.3-130
3.3.3-55.	Habitat duration results for Log Cabin Diversion Dam Reach, Oregon Creek for the No Action Alternative at Node 3	
3.3.3-56.	Habitat duration results for the New Bullards Bar Dam Reach, North Yuba River for the No Action Alternative at Node 0	
3.3.3-57.	Habitat duration results for the New Bullards Bar Dam Reach, North Yuba River for the No Action Alternative at Node 1	E3.3.3-133
3.3.3-58.	Habitat duration results for the Middle/North Yuba River Reach, Yuba River for the No Action Alternative at Node 1	

Figure No.	Description	Page No.
3.3.3-59.	Habitat duration results for the New Colgate Powerhouse Reach, Yuba River for the No Action Alternative at Node 0	E3.3.3-135
3.3.3-60.	Habitat duration results for the New Colgate Powerhouse Reach, Yuba River for the No Action Alternative at Node 1	E3.3.3-136
3.3.3-61.	Map of hydrologic zone boundaries used in Study 7.10	
3.3.3-62.	Englebright Dam Hydrologic Zone Chinook salmon WUA results	E3.3.3-142
3.3.3-63.	Englebright Dam Hydrologic Zone steelhead WUA results	E3.3.3-143
3.3.3-64.	Englebright Dam Hydrologic Zone rainbow trout adult, and lamprey guild WUA results.	E3.3.3-144
3.3.3-65.	Deer Creek Hydrologic Zone Chinook salmon WUA results	
3.3.3-66.	Deer Creek Hydrologic Zone steelhead WUA results	E3.3.3-146
3.3.3-67.	Deer Creek Hydrologic Zone rainbow trout adult and lamprey adult WUA results	E3.3.3-147
3.3.3-68.	Dry Creek Hydrologic Zone Chinook salmon WUA results	
3.3.3-69.	Dry Creek Hydrologic Zone steelhead WUA results	
3.3.3-70.	Dry Creek Hydrologic Zone rainbow trout adult and lamprey adult WUA results	
3.3.3-71.	Daguerre Point Dam Hydrologic Zone Chinook salmon WUA results.	E3.3.3-151
3.3.3-72.	Daguerre Point Dam Hydrologic Zone steelhead WUA results	E3.3.3-152
3.3.3-73.	Daguerre Point Dam Hydrologic Zone rainbow trout adult, lamprey adult, and lamprey ammocoete WUA results	E3.3.3-153
3.3.3-74.	Relationship between flows at the Marysville Gage and North American green sturgeon spawning WUA (in pool morphological units) in the Yuba River downstream of Daguerre Point Dam	
3.3.3-75.	Relationship between flows at the Marysville Gage and green sturgeon spawning WUA (in all morphological units) in the Yuba	F2 2 2 150
2 2 2 76	River downstream of Daguerre Point Dam	
3.3.3-76.	For more combined suitability output from the Middle Vulse 2D	E3.3.3-103
3.3.3-77.	Egg mass combined suitability output from the Middle Yuba 2D model for three simulation flows.	E3.3.3-171
3.3.3-78.	Tadpole combined suitability output from the Middle Yuba 2D model for three simulation flows	E3.3.3-172
3.3.3-79.	Egg mass combined suitability output from the Oregon Creek 2D model for three simulation flows.	E3.3.3-175
3.3.3-80.	Tadpole combined suitability output from the Oregon Creek 2D model for three simulation flows.	E3.3.3-176
3.3.3-81.	WUA for FYLF egg mass and tadpole life stages in the Oregon Creek and Middle Yuba River study sites.	E3.3.3-177

Figure No.	Description	Page No.
3.3.3-82.	Locations of WPT field reconnaissance and survey detections, incidental observations, and existing records.	E3.3.3-181
3.3.3-83.	Overview of scores by basin, stream, and indices. Sites with starred symbols represent locations where insufficient organisms were collected to make the resultant IBI and MMI scores reliable	E3.3.3-189
3.3.3-84.	Example HDA "Area Under the Curve" bar chart showing YCWA's proposed Project minimum streamflow to the No Action Alternative (i.e., Base Case) by month for rainbow trout adult for the 41 period of record.	E3.3.3-206
3.3.3-85.	Example HDA "Area Under the Curve" bar chart showing the Proposed Project and No Action Alternatives (i.e., Base Case) by month for rainbow trout spawning for the 41 period of record	E3.3.3-207
3.3.3-86.	Example HDA "Area Under the Curve" bar chart showing the Proposed Project and No Action Alternative (i.e., Base Case) by species for August in all water years for the 41 period of record	E3.3.3-208
3.3.3-87.	AUC for all life stages and species at Node 0 on the Middle Yuba River based on YCWA's proposed Project and the No Action Alternative	E3.3.3-212
3.3.3-88.	AUC for all life stages and species at Node 1 on the Middle Yuba River based on YCWA's proposed Project and the No Action Alternative	E3.3.3-213
3.3.3-89.	AUC for all life stages and species at Node 0 on Oregon Creek based on YCWA's Proposed Project and the No Action Alternative	E3.3.3-220
3.3.3-90.	AUC for all life stages and species at Node 1 on Oregon Creek based on YCWA's Proposed Project and the No Action Alternative	E3.3.3-220
3.3.3-91.	AUC for all life stages and species at Node 2 on Oregon Creek based on YCWA's Proposed Project and the No Action Alternative	E3.3.3-221
3.3.3-92.	AUC for all life stages and species at Node 3 on Oregon Creek based on YCWA's Proposed Project and the No Action Alternative	E3.3.3-221
3.3.3-93.	AUC for all life stages and species at Node 2 in the Oregon Creek Reach based on YCWA's Proposed Project and the No Action Alternative	E3.3.3-226
3.3.3-94.	AUC for all life stages and species at Node 0 in the NBB Dam Reach based on YCWA's Proposed Project and the No Action Alternative	

List of Figures (continued) Description Figure No. Page No. 3.3.3-95. AUC for all life stages and species at Node 1 in the NBB Dam Reach based on YCWA's Proposed Project and the No Action Alternative......E3.3.3-230 3.3.3-96. AUC for all life stages and species at Node 1 in the NYR/MYR Reach based on YCWA's Proposed Project and the No Action Alternative......E3.3.3-233 AUC for all life stages and species at Node 0 on the Yuba River 3.3.3-97. based on YCWA's Proposed Project and the No Action Alternative E3.3.3-236 AUC for all life stages and species at Node 1 in the Yuba River 3.3.3-98. based on YCWA's Proposed Project and the No Action Alternative E3.3.3-237 Modeled flows in the Middle Yuba River below Our House 3.3.3-99. Diversion Dam for YCWA's No Action Alternative and proposed Project, which includes Condition AR2, Spill Cessation. E3.3.3-240 3.3.6-1. Functional use periods for the Cottage Creek and Dark Day boat ramps by median WSE and WY type based on Water Balance/Operations Model run results for WYs 1970 through WY Photograph of the slope instability site upslope from the Dark Dav 3.3.6-2. boat ramp at low water levels (typically during the non-peak season)......E3.3.6-27 3.3.7-1. Fire ignitions within the Project Vicinity......E3.3.7-18 3.3.8-1. List of Tables Table No. **Description** Page No. 1.3-1. Summary of statutory and regulatory requirements and status.....E1-9 1.3-2. Designated beneficial uses of surface water within the Project and 1.4-1. List of comment letters in chronological order filed with FERC on FERC's Scoping Document 1 and YCWA's Pre-Application Document. E1-32 1.4-2. Studies proposed by YCWA in its Revised Study Plan and subsequently modified, including new studies added by FERC.....E1-35 1.4-3. Comment letters filed with FERC regarding YCWA's Yuba River

Development Project's Initial Study Report and meeting summary.E1-39

Table No.	Description	Page No.
1.4-4.	Comment letters filed with FERC regarding YCWA's Yuba River Development Project's Updated Study Report and meeting summary	F1-40
1.4-5.	Status of studies as of filing of the License Application.	
1.4-6.	Comment letters filed with FERC regarding YCWA's Yuba River Development Project's Draft License Application	
2.1-1.	Key information regarding Yuba River Development Project powerhouses	
2.1-2.	Key information regarding Yuba River Development Project reservoirs and impoundments.	E2-2
2.1-3.	Typical distribution of flows under normal operations (i.e., excluding brief transition periods) among Narrows 2 Powerhouse (generation only), Partial Bypass, Full Bypass and Narrows 1 Powerhouse	E2-16
2.1-4.	New Bullards Bar Reservoir flood storage space allocation in thousands of acre-feet.	
2.1-5.	Yuba Accord flow schedules.	
2.1-6.	Water right licenses held by YCWA for operation of the Project	
	for power generation.	E2-22
2.1-7.	YCWA's annual contract amounts and place of delivery	E2-23
2.1-8.	YCWA's water supply contract shortage provisions	E2-25
2.2-1.	Primary Project Roads and Trails (non-recreation roads and trails) included in Yuba River Development Project	E2-45
2.2-2.	Recreation roads included in Yuba River Development Project	E2-46
2.2-3.	Proposed additions to Primary Project Roads and Trails (non-recreation roads and trails) included in Yuba River Development Project by Development	E2-47
2.2-4.	Proposed additions to and withdrawals of Recreation Roads associated with the New Colgate Development. YCWA does not propose any changes to Recreation Roads and Trails associated with the New Bullards Bar Minimum Flow Development or the Narrows 2 Development	E2-48
2.2-5.	Summary of land ownership within the proposed Yuba River Development Project FERC Project Boundary by Project Development and difference as compared to existing FERC Project Boundary.	E2-52
2.2-6.	Measures included in YCWA's Proposed Yuba River Development Project.	E2-52
3.1-1.	Stream reaches in the Yuba River Basin potentially affected by continued Project operations	E3-16

Table No.	Description	Page No.
3.1-2.	Streams and tributaries to the North, Middle, South, and main stem of the Yuba River.	E3-17
3.1-3.	Owners and capacities of dams and diversions in the Yuba River Basin.	E3-18
3.3.1-1.	Mines in the Yuba River Development Project Vicinity	E3.3.1-7
3.3.1-2.	Soil series and order summary description in the Project Vicinity	E3.3.1-8
3.3.1-3.	Soil associations in the Project Vicinity.	E3.3.1-10
3.3.1-4.	Estimated volume of sediment removed from Our House Diversion Dam impoundment from 1986 to the present.	E3.3.1-14
3.3.1-5.	Estimates of sediment yield at sediment supply nodes based on regional estimate of yield and drainage area under the With-Project and Without-Project conditions.	E3.3.1-16
3.3.1-6.	Summary of channel storage of coarse sediment in Middle Yuba River and Oregon Creek downstream of Project diversion dams	E3.3.1-18
3.3.1-7.	Location of reaches where channel morphology study sites were located, and transects selected for channel morphology evaluation from among Study 3.10, <i>Instream Flow Upstream of Englebright Reservoir</i> , transects.	E3.3.1-23
3.3.2-1.	Streamflow gages and Project tunnel, powerhouse and reservoir gages.	E3.3.2-4
3.3.2-2.	No Action Alternative flows and storage by month from YCWA's With-Project Hydrology dataset.	E3.3.2-9
3.3.2-3.	North Yuba River sub-basin diversions by SFWPA's South Feather Power Project – Slate Creek Diversion Dam diversions for representative WY types.	E3.3.2-13
3.3.2-4.	Middle Yuba River sub-basin diversions by NID's Yuba-Bear Hydroelectric Project – Milton Diversion Dam diversions for representative WY types.	
3.3.2-5.	South Yuba River sub-basin diversions by NID's Yuba-Bear Hydroelectric Project – Bowman-Spaulding Diversion Conduit diversions for representative WY types	
3.3.2-6.	South Yuba River sub-basin diversions by PG&E's Drum-Spaulding Project – Spaulding Dam diversions for representative WY types.	E3.3.2-14
3.3.2-7.	Water quality objectives to support beneficial uses in the vicinity of the Project as designated by the CVRWQCB and listed in the Basin Plan.	E3.3.2-16
3.3.2-8.	Water quality standards, criteria and benchmark values used for evaluating the protection of designated beneficial uses ¹ in the vicinity of the Yuba River Development Project	E3.3.2-17

Table No.	Description	Page No.
3.3.2-9.	Temperature and DO concentrations found in YCWA's routine reservoir profile locations by reservoir.	E3.3.2-27
3.3.2-10.	Monthly minimum, average and maximum DO concentrations in New Bullards Bar Reservoir near the dam from November 2010 through August 2012	E3.3.2-30
3.3.2-11.	Monthly minimum, average and maximum DO concentrations in Englebright Reservoir near the dam from November 2010 through August 2012.	E3.3.2-32
3.3.2-12.	Monthly minimum, average and maximum DO concentrations in Englebright Reservoir 3.3 mi upstream of the dam from April 2011 through August 2012	E3.3.2-33
3.3.2-13.	Continuous stream water temperature monitoring location information.	E3.3.2-35
3.3.2-14.	WYs 2009 through 2012 minimum and maximum daily average stream temperatures (°C) by month. Shaded cells indicate values over 20°C. An * indicates a site above the Project (i.e., not affected by the Project).	E3 3 2-39
3.3.2-15.	Margin water temperature station information.	
3.3.2-16.	Range of mercury concentrations in fish tissue by location and species.	
3.3.2-17.	YCWA's proposed Project flows and storage from YCWA's Proposed Project (Existing) Hydrology dataset	E3.3.2-66
3.3.2-18.	Comparison between the Existing FERC License, Smartsville Index and North Yuba Index for WYs 1970 through 2010 for the Proposed Project and No Action Alternative	E3.3.2-71
3.3.2-19.	Changes in Project flows and storage from No Action Alternative to YCWA's Proposed Project (Existing) Alterative	
3.3.2-20.	Proposed recreation-related rehabilitation and enhancements with the potential to effect water quality.	E3.3.2-90
3.3.2-21.	Average usable storage in New Bullards Bar Reservoir at the 10°C and 15°C isotherms for the modeled period of record (WYs 1970 through 2010) based on Operations Model and HEC-5Q temperature model results.	E3.3.2-92
3.3.2-22.	Comparison of simulated mean monthly water temperatures in the Middle Yuba River downstream of Our House Dam for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	

Table No.	Description	Page No.
3.3.2-23.	Comparison of simulated mean monthly water temperatures in the Middle Yuba River upstream of Oregon Creek for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-107
3.3.2-24.	Comparison of simulated mean monthly water temperatures in the Middle Yuba River downstream of Oregon Creek for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-108
3.3.2-25.	Comparison of simulated mean monthly water temperatures in the Middle Yuba River upstream of the North Yuba River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-109
3.3.2-26.	Comparison of simulated mean monthly water temperatures in Oregon Creek downstream of Log Cabin Diversion Dam for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-111
3.3.2-27.	Comparison of simulated mean monthly water temperatures in Oregon Creek upstream of the Middle Yuba River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-112
3.3.2-28.	Comparison of simulated mean monthly water temperatures in the North Yuba River upstream of the Middle Yuba River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-113
3.3.2-29.	Comparison of simulated mean monthly water temperatures in the Yuba River downstream of the Middle Yuba River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-115
3.3.2-30.	Comparison of simulated mean monthly water temperatures in the Yuba River upstream of the New Colgate Powerhouse for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-116
3.3.2-31.	Comparison of simulated mean monthly water temperatures in the Yuba River downstream of the New Colgate Powerhouse for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-117
3.3.2-32.	Comparison of simulated mean monthly water temperatures in the Yuba River near Smartsville for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010	E3.3.2-118

Table No.	Description	Page No.
3.3.2-33.	Comparison of simulated mean monthly water temperatures in the Yuba River downstream of Deer Creek for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-120
3.3.2-34.	Comparison of simulated mean monthly water temperatures in the Yuba River near Parks Bar for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010	E3.3.2-120
3.3.2-35.	Comparison of simulated mean monthly water temperatures in the Yuba River downstream of Dry Creek for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-121
3.3.2-36.	Comparison of simulated mean monthly water temperatures in the Yuba River downstream of Daguerre Point Dam for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-123
3.3.2-37.	Comparison of simulated mean monthly water temperatures in the Yuba River near Marysville for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010	E3.3.2-124
3.3.2-38.	Comparison of simulated mean monthly water temperatures in the Yuba River upstream of the Feather River for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010.	E3.3.2-125
3.3.2-39.	The total available water supply, as calculated by the North Yuba Index, and the total minimum required flow below Narrows 2 Powerhouse, by Yuba Accord Water Year Type	E3.3.2-139
3.3.3-1.	List of fish species that have been reported to occur in the Yuba River watershed within the Project Area.	E3.3.3-3
3.3.3-2.	Life stage-specific periodicities for fall-run Chinook salmon in the Yuba River (shaded boxes indicate temporal utilization of the Yuba River)	E3.3.3-9
3.3.3-3.	Summary of pink salmon observed migrating past Daguerre Point Dam (RM 13.6) in the Yuba River during the VAKI RiverwatcherTM monitoring study from 2004 through 2012	E3.3.3-11
3.3.3-4.	Known stocked fish species in New Bullards Bar Reservoir from 1969 through 2011.	E3.3.3-16
3.3.3-5.	Summary of relative abundance, length, and weight of all fish species collected at New Bullards Bar Reservoir in January and June 2012 in order of abundance.	E3.3.3-17
3.3.3-6.	Known stocked fish species in Englebright Reservoir from 1965 through 2012.	E3.3.3-18

Table No.	Description	Page No.
3.3.3-7.	Summary of relative abundance, length, and weight of all fish species collected at Englebright Reservoir in June 2012 in order of abundance.	E3.3.3-18
3.3.3-8.	Overview of fish species present from YCWA's Study 3.8 conducted in 2012 and 2013, as well as documented species presence from historical reports.	E3.3.3-23
3.3.3-9.	Summary of 2012 and 2013 fish population information collected by quantitative electrofishing for the Middle Yuba River upstream of Our House Diversion Dam (RM 13.3).	E3.3.3-24
3.3.3-10.	Summary of 2012 and 2013 fish population information collected by quantitative electrofishing for the Oregon Creek upstream of Log Cabin Diversion Dam Site (RM 4.5)	E3.3.3-26
3.3.3-11.	Summary of 2012 and 2013 fish population information from quantitative snorkeling observations for the Middle Yuba River Downstream of Our House Diversion Dam Site (RM 12.5)	E3.3.3-28
3.3.3-12.	Summary of 2012 and 2013 fish population information collected by quantitative electrofishing for the Middle Yuba River site at RM 5.0.	E3.3.3-29
3.3.3-13.	Summary results of 2012 and 2013 fish population information collected by quantitative electrofishing for the Oregon Creek downstream of Log Cabin Diversion Dam Site (RM 0.3)	E3.3.3-30
3.3.3-14.	Summary of 2012 and 2013 fish population information from quantitative snorkeling observations for the Middle Yuba River downstream of Moonshine Creek Site (RM 3.3)	E3.3.3-31
3.3.3-15.	Summary of 2012 and 2013 fish population information from quantitative snorkeling observations for the Middle Yuba River Downstream of Yellowjacket Creek Site (RM 1.0)	E3.3.3-32
3.3.3-16.	Summary of 2012 and 2013 fish population information collected by quantitative electrofishing for the Middle Yuba River Downstream of Yellowjacket Creek Site (RM 1.0)	E3.3.3-32
3.3.3-17.	Summary of 2012 and 2013 fish population information from quantitative snorkeling observations for the North Yuba River Upstream of Middle Yuba River Site (RM 0.2).	
3.3.3-18.	Summary of 2012 and 2013 fish population information from quantitative snorkeling observations for the Yuba River Downstream of Middle Yuba River Site (RM 39.6)	
3.3.3-19.	Summary of 2012 and 2013 fish population information from quantitative snorkeling observations for the Yuba River Upstream of New Colgate Powerhouse Site (RM 35.0)	

Table No.	Description Description	Page No.
3.3.3-20.	Summary of 2012 and 2013 fish population information from quantitative snorkeling observations for the Yuba River Downstream of New Colgate Powerhouse Site (RM 33.7)1	E3.3.3-36
3.3.3-21.	Fish species distribution in the Yuba River downstream of Englebright Dam.	E3.3.3-37
3.3.3-22.	Native fish species and associated assemblages of the Yuba River watershed downstream of Englebright Dam	E3.3.3-39
3.3.3-23.	Fish species composition related to fish assemblages in the Yuba River downstream of Englebright Dam.	E3.3.3-42
3.3.3-24.	Relative abundance in descending order for fish collected from 1999 through 2009 by RST surveys in the Yuba River near Hallwood Boulevard (RM 7.2).	E3.3.3-48
3.3.3-25.	Relative abundance in descending order for fish observed by VAKI RiverwatcherTM passing through the fishways at Daguerre Point Dam on the Yuba River (RM 11.6) from 2008 through 2010	E3.3.3-49
3.3.3-26.	Effort, number tagged, and total catch by 0.1 mi interval zone on the Middle Yuba River, upstream of Our House Diversion Dam	E3.3.3-56
3.3.3-27.	Effort, number of tagged fish (rainbow trout), and total fish catch by zone on Oregon Creek.	E3.3.3-57
3.3.3-28.	Date, duration, and discharge when antennas at Lohman Ridge Diversion Tunnel and Camptonville Diversion Tunnel were out of service.	E3.3.3-58
3.3.3-29.	Detections, number of fish, and origin of fish detected at Lohman Ridge and Camptonville diversion tunnels.	E3.3.3-59
3.3.3-30.	Summary of fish that generated multiple detections with no more than a 24-hour period between detections.	
3.3.3-31.	Summary of fish that moved up the Lohman Ridge Tunnel	
3.3.3-32.	Estimated entrainment of rainbow trout into the Lohman Ridge and Camptonville diversion tunnels based on 2012/2013 Entrainment Study.	E2 2 2 62
3.3.3-33.	Summary of catch by gillnet depth at Site 1 near New Bullards Bar Dam in January and June 2012.	
3.3.3-34.	Summary of catch by gillnet depth at Site 1 near Englebright Dam from June 22-24, 2012.	
3.3.3-35.	Summary of planned and actual operational events from July through November 2013.	E3.3.3-68
3.3.3-36.	WUA table for rainbow trout in the Our House Diversion Dam Reach	E3.3.3-101

List of Tables (continued) Description

Table No.	List of Tables (continued) Description	Page No.
3.3.3-37.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Our House Diversion Dam Reach	E3.3.3-101
3.3.3-38.	WUA table for Sacramento sucker in the Our House Diversion Dam Reach	E3.3.3-102
3.3.3-39.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Our House Diversion Dam Reach	E3.3.3-102
3.3.3-40.	WUA table for rainbow trout in the Oregon Creek Reach of the Middle Yuba River.	E3.3.3-103
3.3.3-41.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Oregon Creek Reach of the Middle Yuba River.	E3.3.3-103
3.3.3-42.	WUA table for Sacramento sucker in the Oregon Creek Reach of the Middle Yuba River	
3.3.3-43.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Oregon Creek Reach of the Middle Yuba River	E3.3.3-104
3.3.3-44.	WUA table for rainbow trout in the Log Cabin Diversion Dam sub-reach of Oregon Creek.	E3.3.3-105
3.3.3-45.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Log Cabin Diversion Dam sub-reach of Oregon Creek	F3 3 3-105
3.3.3-46.	WUA table for Sacramento sucker in the Log Cabin Diversion Dam sub-reach of Oregon Creek.	
3.3.3-47.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Log Cabin Diversion Dam sub-reach of Oregon Creek	E3.3.3-106
3.3.3-48.	WUA table for Rainbow trout in the Celestial Valley sub-reach of Oregon Creek	E3.3.3-107
3.3.3-49.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Celestial Valley sub-reach of Oregon Creek.	E3.3.3-107

Table No.	Description Description	Page No.
3.3.3-50.	WUA table for Sacramento sucker in the Celestial Valley sub-	F2 2 2 100
3.3.3-51.	reach of Oregon Creek	
3.3.3-52.	WUA table for rainbow trout in the New Bullards Bar Dam Reach	E3.3.3-109
3.3.3-53.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the New Bullards Bar Dam Reach.	E3.3.3-109
3.3.3-54.	WUA table for Sacramento sucker in the New Bullards Bar Dam Reach	E3.3.3-110
3.3.3-55.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the New Bullards Bar Dam Reach.	E3.3.3-110
3.3.3-56.	WUA table for hardhead/pikeminnow in the New Bullards Bar Dam Reach	E3.3.3-111
3.3.3-57.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the New Bullards Bar Dam Reach.	E3.3.3-111
3.3.3-58.	WUA table for rainbow trout in the Middle/North Yuba River Reach	E3.3.3-112
3.3.3-59.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Middle North Yorks Biven Beach.	E2 2 2 112
3.3.3-60.	Middle/North Yuba River Reach	
3.3.3-61.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Upstream of New Colgate Powerhouse Reach.	E3.3.3-113
3.3.3-62.	WUA table for hardhead and pikeminnow in the Middle/North Yuba River Reach.	
3.3.3-63.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the Middle/North Yuba River Reach	E3.3.3-114

Table No.	Description	Page No.
3.3.3-64.	WUA table for rainbow trout in the New Colgate Powerhouse Reach	E3.3.3-115
3.3.3-65.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the New Colgate Powerhouse Reach	E3 3 3-115
3.3.3-66.	WUA table for Sacramento sucker in the New Colgate Powerhouse Reach	E3.3.3-116
3.3.3-67.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the New Colgate Powerhouse Reach	E3.3.3-116
3.3.3-68.	WUA table for hardhead and pikeminnow in the New Colgate Powerhouse Reach.	E3.3.3-117
3.3.3-69.	Values with conditional formatting from 80 to 100 percent of the maximum WUA. Bimodal curves have the lower peak highlighted in yellow, and the upper peak highlighted in green for the New Colgate Powerhouse Reach	E3.3.3-117
3.3.3-70.	Summary table of discharge at maximum WUA for rainbow trout spawning, juvenile and adult life stages.	E3.3.3-119
3.3.3-71.	Summary table of discharge at maximum WUA for Sacramento sucker juvenile and adult life stages.	E3.3.3-120
3.3.3-72.	Summary table of discharge at maximum WUA for hardhead/pikeminnow juvenile and adult life stages	E3.3.3-120
3.3.3-73.	Habitat duration analysis results for the Our House Diversion Dam Reach, Middle Yuba River for the No Action Alternative at Node 0	E3.3.3-125
3.3.3-74.	Habitat duration analysis results for the Our House Diversion Dam Reach, Middle Yuba River for the No Action Alternative at Node 1	
3.3.3-75.	Habitat duration analysis results for the Oregon Creek Reach, Middle Yuba River for the No Action Alternative at Node 2	E3.3.3-126
3.3.3-76.	Habitat duration analysis results for the Log Cabin Diversion Dam Reach, Oregon Creek for the No Action Alternative at Node 0	E3.3.3-127
3.3.3-77.	Habitat duration analysis results for the Log Cabin Diversion Dam Reach, Oregon Creek for the No Action Alternative at Node 1	E3.3.3-128
3.3.3-78.	Habitat duration results for the Log Cabin Diversion Dam Reach, Oregon Creek for the No Action Alternative at Node 2 (Celestial Valley)	E3.3.3-129

Table No.	Description	Page No.
3.3.3-79.	Habitat duration results for the Log Cabin Diversion Dam Reach, Oregon Creek for the No Action Alternative at Node 3.	E3.3.3-130
3.3.3-80.	Habitat duration results for the New Bullards Bar Dam Reach, North Yuba River for the No Action Alternative at Node 0	E3.3.3-131
3.3.3-81.	Habitat duration results for the New Bullards Bar Dam Reach, North Yuba River for the No Action Alternative at Node 1	E3.3.3-132
3.3.3-82.	Habitat duration results for the Middle/North Yuba River Reach, Yuba River for the No Action Alternative at Node 1	E3.3.3-133
3.3.3-83.	Habitat duration results for the New Colgate Powerhouse Reach, Yuba River for the No Action Alternative at Node 0	E3.3.3-134
3.3.3-84.	Habitat duration results for the New Colgate Powerhouse Reach, Yuba River for the No Action Alternative at Node 1	E3.3.3-135
3.3.3-85.	Hydrologic zone boundaries established for habitat modeling in the Yuba River downstream from Englebright Dam	E3.3.3-137
3.3.3-86.	Summary table of discharge at peak WUA for Chinook salmon spawning, fry and juvenile life stages	E3.3.3-141
3.3.3-87.	Summary table of discharge at peak WUA for steelhead spawning, fry, juvenile, and adult life stages.	E3.3.3-141
3.3.3-88.	Summary table of discharge at peak WUA for rainbow trout adult and lamprey ammocoete and adult life stages.	E3.3.3-141
3.3.3-89.	Englebright Dam Hydrologic Zone Chinook salmon WUA results	E3.3.3-142
3.3.3-90.	Englebright Dam Hydrologic Zone steelhead WUA results	E3.3.3-143
3.3.3-91.	Englebright Dam Hydrologic Zone rainbow trout adult, lamprey adult, and lamprey ammocoete WUA results.	E3.3.3-144
3.3.3-92.	Deer Creek Hydrologic Zone Chinook salmon WUA results	E3.3.3-145
3.3.3-93.	Deer Creek Hydrologic Zone steelhead WUA results	E3.3.3-146
3.3.3-94	Deer Creek Hydrologic Zone rainbow trout adult, lamprey adult, and lamprey ammocoete WUA results.	E3.3.3-147
3.3.3-95.	Dry Creek Hydrologic Zone Chinook salmon WUA results	
3.3.3-96.	Dry Creek Hydrologic Zone steelhead WUA results	
3.3.3-97.	Dry Creek Hydrologic Zone rainbow trout adult and lamprey adult and ammocoete WUA results.	
3.3.3-98.	Daguerre Point Dam Hydrologic Zone Chinook salmon WUA results	E3.3.3-151
3.3.3-99.	Daguerre Point Dam Hydrologic Zone steelhead WUA results	E3.3.3-152
3.3.3-100.	Daguerre Point Dam Hydrologic Zone rainbow trout adult, and lamprey adult and ammocoete WUA results.	

List of Tables (continued) Description

Table No.	Description	Page No.
3.3.3-101.	Flows at the Marysville Gage and North American green sturgeon spawning WUA relationships (in pool morphological units) in the Yuba River downstream of Daguerre Point Dam	E3.3.3-156
3.3.3-102.	Flows at the Marysville Gage and North American green sturgeon spawning WUA relationships (in all morphological units) in the Yuba River downstream of Daguerre Point Dam	E3.3.3-156
3.3.3-103.	Amphibian species reported from the Project vicinity	E3.3.3-159
3.3.3-104.	Summary of FYLF surveys and other information regarding the distribution of FYLF in the Middle Yuba River downstream of Our House Diversion Dam	E3.3.3-164
3.3.3-105.	Summary of FYLF surveys and other information regarding the distribution of FYLF in the North Yuba River downstream of New Bullards Bar Dam at Site NYR-1	E3.3.3-165
3.3.3-106.	Summary of FYLF surveys and other information regarding the distribution of FYLF in the Yuba River downstream of Middle Yuba/North Yuba Confluence at Sites YR-1, YR-2, and YR-2A	
3.3.3-107.	Summary of FYLF surveys and other information regarding the distribution of FYLF in Oregon Creek downstream of Log Cabin Diversion Dam at Sites OC-1 and OC-2	
3.3.3-108.	Summary of FYLF surveys and other information regarding the distribution of FYLF upstream of Project facilities on the Middle Yuba River, North Yuba River, and Oregon Creek	E3.3.3-167
3.3.3-109.	Change in water surface elevations (ft) summarized by AOI region for the Middle Yuba River model domain	E3.3.3-169
3.3.3-110.	Change in water surface elevations (ft) summarized by AOI region for the Oregon Creek model domain.	E3.3.3-169
3.3.3.111.	Summary of WPT basking surveys results	
3.3.3-112.	Target Forest Service Sensitive mollusk species.	
3.3.3-113.	Water quality and habitat characteristics collected at six sites in the Yuba River downstream of Narrows 2 Powerhouse in July 2012	
3.3.3-114.	BMI metrics from samples collected at six sites in the Yuba River downstream of Narrows 2 Powerhouse in July 2012	E3.3.3-192
3.3.3-115.	BMI metrics from samples collected at Site 1: Hallwood Boulevard (RM 7) on July 19, 2012 compared to historical samples collected by SYRCL in 2006 and 2007.	E3.3.3-193
3.3.3-116.	Comparison of Water Quality Parameters Necessary for Mussel Invasion (Unable [red], Potentially Able [yellow], and Able [green]) with Measurements in New Bullards Bar Reservoir	F3 3 3 ₋ 10 <i>1</i>
3.3.3-117.	Facilities from which YCWA may release flow into a stream	

Table No.	Description	Page No.
3.3.3-118.	Minimum Streamflows in cubic feet per second (cfs) for the Yuba River Development Project by month and Water Year type, which is defined in YCWA's proposed Condition WR2	E3.3.3-209
3.3.3-119.	Percent of maximum WUA for rainbow trout adult, spawning and juvenile life stages in the Our House Diversion Dam Reach that correspond with YCWA's proposed Condition AR1	E3.3.3-210
3.3.3-120.	Simulated mean monthly flows (cfs) downstream of Our House Diversion Dam for the Middle Yuba River from Water Year 1970 through Water Year 2010	E3.3.3-211
3.3.3-121.	Percent of habitat that corresponds with YCWA's proposed Project for all species and life stages as compared to the No Action Alternative in the Our House Diversion Dam Reach of the Middle Yuba River. Comparison made using all water years in the period of record.	E3.3.3-212
3.3.3-122.	Comparison of simulated mean monthly water temperatures in the Middle Yuba River downstream of Our House Dam (Our House Diversion Dam Reach) for the No Action Alternative and Proposed Project for WYs 1970 through 2010. Water temperatures greater than 20°C are highlighted in yellow for visual reference	E3.3.3-214
3.3.3-123.	Comparison of simulated mean monthly water temperatures in the Middle Yuba River upstream of Oregon Creek (Our House Diversion Dam Reach) for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010. Water temperatures greater than 20°C are highlighted in yellow for visual reference.	E3.3.3-214
3.3.3-124.	Percent of maximum WUA for rainbow trout adult, spawning and juvenile life stages in the Log Cabin Diversion Dam Reach that correspond with the Log Cabin Diversion Dam flows shown in YCWA's proposed Condition AR1.	E3.3.3-216
3.3.3-125.	Simulated mean monthly flows (cfs) downstream of Log Cabin Diversion Dam for Oregon Creek from Water Year 1970 through Water Year 2010.	
3.3.3-126.	Percent of habitat under that corresponds with YCWA's proposed Project for all species and life stages as compared to the No Action Alternative in the Log Cabin Diversion Dam Reach of Oregon Creek. Comparison made using all water years in the period of record.	E3.3.3-219

List of Tables (continued) Description

Table No.	List of Tables (continued) Description	Page No.
3.3.3-127.	Comparison of simulated mean monthly water temperatures in Oregon Creek downstream of Log Cabin Diversion Dam (Log Cabin Diversion Dam Reach) for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010. Water temperatures greater than 20°C are highlighted in yellow for visual reference.	E3.3.3-222
3.3.3-128.	Comparison of simulated mean monthly water temperatures in Oregon Creek upstream of the Middle Yuba River (Log Cabin Diversion Dam Reach) for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010. Water temperatures greater than 20°C are highlighted in yellow for visual reference.	E3.3.3-223
3.3.3-129.	Percent of maximum WUA for rainbow trout adult, spawning and juvenile life stages in the Oregon Creek Reach that correspond with YCWA's proposed Condition AR1.	E3.3.3-224
3.3.3-130.	Simulated combined mean monthly flow (cfs) downstream of Oregon Creek on the Middle Yuba River for the Yuba River Index water year types from Water Year 1970 through Water Year 2010	E3.3.3-224
3.3.3-131.	Percent of habitat under that corresponds with YCWA's proposed Project for all species and life stages as compared to the No Action Alternative in the Oregon Creek Reach of the Middle Yuba River. Comparison made using all water years in the period of record.	E3.3.3-225
3.3.3-132.	Comparison of simulated mean monthly water temperatures in the Middle Yuba River downstream of Oregon Creek (Oregon Creek Reach) for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010. Water temperatures greater than 20°C are highlighted in yellow for visual reference	E3.3.3-227
3.3.3-133.	Comparison of simulated mean monthly water temperatures in the Middle Yuba River upstream of the North Yuba River (Oregon Creek Reach) for the No Action Alternative and Proposed Project Alternative for WYs 1970 through 2010. Water temperatures greater than 20°C are highlighted in yellow for visual reference	
3.3.3-134.	Percent of maximum WUA for rainbow trout adult, spawning and juvenile life stages in the New Bullards Bar Reach that correspond with YCWA's proposed Condition AR1	
3.3.3-135.	Mean monthly flows (cfs) downstream of New Bullards Bar Dam for the Yuba River Index water year types from Water Year 1970 through Water Year 2010	

Table No.	Description	Page No.
3.3.3-136.	Percent of habitat under that corresponds with YCWA's proposed Project for all species and life stages as compared to the No Action Alternative in the New Bullards Bar Dam Reach of the North Yuba River. Comparison made using all water years in the period of record.	E3 3 3-229
3.3.3-137.	Comparison of simulated mean monthly water temperatures in the North Yuba River downstream of New Bullards Bar Dam for the No Action Alternative and Proposed Project for WYs 1970 through 2010.	
3.3.3-138.	Percent of maximum WUA for rainbow trout adult, spawning and juvenile life stages in the North/Middle Yuba River Reach that correspond with YCWA's proposed Condition AR1	E3.3.3-231
3.3.3-139.	Simulated mean monthly flows (cfs) in the NYR/MYR Reach for the Yuba River from Water Year 1970 through Water Year 2010	E3.3.3-232
3.3.3-140.	Percent of habitat under that corresponds with YCWA's proposed Project for all species and life stages as compared to the No Action Alternative in the Middle/North Yuba River Reach. Comparison made using all water years in the period of record	E3.3.3-233
3.3.3-141.	Comparison of simulated mean monthly water temperatures in the Yuba River upstream of New Colgate Powerhouse for the No Action Alternative and Proposed Project for WYs 1970 through 2010. Water temperatures greater than 20°C are highlighted in yellow for visual reference	E3.3.3-234
3.3.3-142.	Simulated mean monthly flows (cfs) downstream of the New Colgate Powerhouse for Water Year 1970 through Water Year 2010	E3.3.3-235
3.3.3-143.	Percent of habitat under that corresponds with YCWA's proposed Project for all species and life stages as compared to the No Action Alternative in the New Colgate Powerhouse Reach. Comparison made using all water years in the period of record	E3.3.3-235
3.3.3-144.	Comparison of simulated mean monthly water temperatures in the Yuba River downstream of the New Colgate Powerhouse (New Colgate Powerhouse Reach) for the No Action Alternative and Proposed Project for WYs 1970 through 2010	E3.3.3-237
3.3.4-1.	Special-status plant and mushroom species potentially occurring in the vicinity of Yuba County Water Agency's Yuba River Development Project	E3.3.4-3
3.3.4-2.	Special-status plants and mushrooms identified in the Yuba River Development Project study area.	E3.3.4-8
3.3.4-3.	Non-native invasive plants and other invasive species of concern to the Forest Service potentially occurring in the Project Vicinity	E3.3.4-18

Table No.	Description	Page No.
3.3.4-4.	Non-native invasive plant occurrences identified on public land in the Yuba River Development Project.	E3.3.4-19
3.3.4-5.	Special-status, CESA-listed and fully protected wildlife with the potential to occur, or known to occur within 0.25 mi of the existing FERC Project Boundary.	E3.3.4-21
3.3.4-6.	Potential California Wildlife Habitat Relationship (CWHR) habitat types and acres disturbed by construction of the New Bullards Bar Dam Flood Control Outlet.	E3.3.4-71
3.3.5-1.	ESA-listed species occurring or potentially occurring in the Project Vicinity.	E3.3.5-4
3.3.5-2.	ESA-listed species that have a potential to be affected by the Project.	E3.3.5-6
3.3.5-3.	ESA-listed plant species potentially occurring in the vicinity of YCWA's Yuba River Development Project	E3.3.5-10
3.3.5-4.	Recorded occurrences of CRLF within 1 mile of the Yuba River Development Project FERC Project Boundary and other known occurrences in Yuba, Nevada, Sierra or Butte counties	E3.3.5-24
3.3.6-1.	Developed recreation facilities and undeveloped recreation sites at New Bullards Bar Reservoir.	E3.3.6-4
3.3.6-2.	Income and expenses for operations of Project recreation facilities from 2008 through 2012.	E3.3.6-6
3.3.6-3.	2012 Project recreation visitation in Recreation Days by type of facility, type of use and season.	E3.3.6-17
3.3.6-4.	Annual recreation use estimate projections through 2050 based on county population growth rates	E3.3.6-18
3.3.6-5.	Projected peak season occupancy, by day type, for the Project campgrounds through 2060	E3.3.6-19
3.3.6-6.	Projected peak season picnic area occupancy through 2060 by day type at Project picnic facilities	E3.3.6-20
3.3.6-7.	Current and projected peak season average occupancy levels for parking areas at Project boat launch facilities	
3.3.6-8.	Current and projected peak season average occupancy levels for parking areas at Project day-use facilities	E3.3.6-22
3.3.6-9.	Current and projected peak season average occupancy levels for parking areas at Project campground overflow parking areas	E3.3.6-23
3.3.6-10.	Peak number of boats-at-one-time, vehicles-at-one-time and camping units occupied in a day (2002-2012)	E3.3.6-24
3.3.6-11.	Average, minimum and maximum BAOT and percent of boating capacity by day type for 2011 and 2012.	

Table No.	Description	Page No.
3.3.6-12.	Summary of angling locations, seasonality, constraints and success on the Project-affected river reaches	E3.3.6-38
3.3.7-1.	Summary of land ownership within the existing FERC Project Boundary by Project Development based on information provided by the County Assessor	E3.3.7-1
3.3.7-2.	Summary of county land within the existing FERC Project Boundary by Project Development based on the relicensing Geographic Information System database.	E3.3.7-2
3.3.7-3.	Distribution of public and private lands in Yuba County	
3.3.7-4.	Yuba County zoning ordinance land use categories in the Project Vicinity.	E3.3.7-3
3.3.7-5.	Plumas National Forest (PNF) management area standards and guidelines for New Colgate Development facilities	E3.3.7-7
3.3.7-6.	Tahoe National Forest (TNF) management area standards and guidelines for New Colgate Development facilities	E3.3.7-7
3.3.7-7.	Yuba County Land Use designations for New Colgate Development facilities.	E3.3.7-8
3.3.7-8.	Yuba County Land Use Designations for New Bullards Bar Minimum Flow Development facilities	E3.3.7-9
3.3.7-9.	Property management plans for Narrows 2 Development facilities	E3.3.7-9
3.3.7-10.	Yuba County Land Use Designations for Narrows 2 Development facilities	E3.3.7-10
3.3.7-11.	Primary Project Roads and Recreation Roads shown by road ID, length, width, surface treatment, and overall condition. ¹	E3.3.7-13
3.3.7-12.	Wildfires in the Yuba River Development Project Vicinity from 2003 through 2011.	E3.3.7-16
3.3.7-13.	Wildfires within the Yuba River Development proposed Project Boundary from 2003 through 2011	E3.3.7-17
3.3.7-14.	Wildfires outside of the proposed FERC Project Boundary from 2003 through 2011.	E3.3.7-17
3.3.7-15.	Fire occurrence analysis statistics by cause from 2003 through 2011	E3.3.7-19
3.3.8-1.	Project system features/facilities and NRHP eligibility	E3.3.8-18
3.3.10-1.	Summary of Yuba County population and housing units, 1960-2010 and 2012	E3.3.10-2
3.3.10-2.	Summary of Yuba County by age group, 2011.	
3.3.10-3.	Summary of household units and income in Yuba County and the State of California.	

Table No.	Description	Page No.
3.3.10-4.	Summary of population by gender and race in Yuba County and the State of California, 2011.	E3.3.10-3
3.3.10-5.	Summary of industry statistics for Yuba County, 2011	
3.3.10-6.	Summary of Sierra County population and housing units, 1960 – 2010 and 2012.	
3.3.10-7.	Summary of population in Sierra County by age group, 2011	Е3.3.10-6
3.3.10-8.	Summary of household units, homeownership, home value, and income in Sierra County and the State of California	E3.3.10-6
3.3.10-9.	Summary of population by gender and race in Sierra County and the State of California for 2011.	E3.3.10-6
3.3.10-10.	Summary of industry statistics for Sierra County, 2012	E3.3.10-7
3.3.10-11.	Summary of Nevada County population and housing units, 1960 – 2010, 2012, and 2013	E3.3.10-8
3.3.10-12.	Summary of population in Nevada County and California by age group, 2011.	E3.3.10-9
3.3.10-13.	Summary of household units, homeownership, home value, and income in Nevada County and the State of California	E3.3.10-9
3.3.10-14.	Summary of population by gender and race in Nevada County and the State of California for 2011.	E3.3.10-9
3.3.10-15.	Summary of industry statistics for Nevada County, March 2013	E3.3.10-10
3.3.10-16.	Federal, State, and local agencies YCWA pays annually for Project-related services.	E3.3.10-12
3.3.11-1.	California and federal ambient air quality standards.	E3.3.11-2
3.3.11-2.	Attainment status for air quality pollutants in Nevada, Sierra and Yuba counties. ¹	E3.3.11-4
3.3.12-1.	Sierra, Yuba and Nevada counties' noise standards	E3.3.12-2
4.2-1.	Cost items common to No Action Alternative and YCWA's Proposed Project Alternative.	E4-2
4.3-1.	Comparison of annual power benefits, costs net benefits between No Action Alternative and YCWA's Proposed Project Alternative	E4-3
4.3-2.	Yuba County Water Agency's estimated costs in 2013 dollars related to implementation of YCWA's proposed conditions as part of continued operation of the Yuba River Development Project. All costs are rounded up to at least the nearest \$1,000 unless otherwise specified	E4-5
7.0-1.	Federal, State of California, and local agencies; Native American tribes; and members of the public with which YCWA consulted for the relicensing of the Yuba River Development Project.	

List of Volume II, Exhibit E Appendices

- Appendix E1 Reply to FERC Staff Comments on Draft License Application and Request for Study Modifications and New Studies
- Appendix E2 Yuba County Water Agency's Proposed Conditions and Associated Rationale Statements
- Appendix E3 Proposed Implementation Plans
- Appendix E4 Information Related to Proposed Measures
- Appendix E5 List of Contributors
- Appendix E6 Yuba County Water Agency's Operations and Water Temperature Models, Hydrology and Water Temperature Data, Technical Memoranda, Project Video and Maps